

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 07/04/2021 Supersedes version of: 07/04/2021 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

## Product form

Product name

Product code

: Mixture : 78100 - Motor Oil SL/CF 5W-30 : 78100

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category

: Professional use, Consumer use

#### 1.2.2. Uses advised against

No additional information available

### **1.3. Details of the supplier of the safety data sheet**

Transnational Blenders B.V. B.V. Wieldrechtseweg, 37 NL– 3316 BG Dordrecht – Netherlands Zuid Holland Netherlands T +31 (0)78 6527652 technical@tnb.nl - www.tnb.nl

#### 1.4. Emergency telephone number

Emergency number

: +31 (0)78 6527652 Monday to Friday: 09:00 - 16:00 (CET)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

## Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 75	Not classified
Distillates (petroleum), hydrotreated light paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO); substance with a Community workplace exposure limit	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077- 29	3 – 5	Not classified
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts substance with national workplace exposure limit(s) (DE)	CAS-No.: 85940-28-9 EC-No.: 288-917-4 REACH-no: 01-2119521201- 61	0.1 – 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	CAS-No.: 85940-28-9 EC-No.: 288-917-4 REACH-no: 01-2119521201- 61	( 15 ≤C < 100) Skin Irrit. 2, H315 ( 15 ≤C < 20) Eye Irrit. 2, H319 ( 20 ≤C < 100) Eye Dam. 1, H318	

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash skin with plenty of water.		
First-aid measures after eye contact	: Rinse eyes with water as a precaution.		
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.		
4.2 Most important symptoms and effects, both acute and delayed			

#### No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media

: Water spray. Dry powder. Foam. Carbon dioxide.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire : Toxic fumes may be released.			
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for containm	ent and cleaning up			
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>			
6.4. Reference to other sections				

For further information refer to section 13.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>			
7.2. Conditions for safe storage, including any incompatibilities				
Storage conditions	: Store in a well-ventilated place. Keep cool.			

7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 5 mg/m <sup>3</sup>		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1] 5 mg/m <sup>3</sup>		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 5 mg/m <sup>3</sup>		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1] 5 mg/m <sup>3</sup>		

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

## Eye protection:

Safety glasses

Eye protection				
Туре	Field of application	Characteristics	Standard	
Safety glasses	Droplet	clear	EN 166	

### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	5 (> 240 minutes)	0.7	3 (> 0.65)	EN ISO 374
	Polyvinylchloride (PVC)	2 (> 30 minutes)	0.4	3 (> 0.65)	EN ISO 374

## 8.2.2.3. Respiratory protection

### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Brown.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -33 °C
Boiling point	: Not available
Flammability	: Non flammable.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 210 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 65 mm²/s @40°C
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 854 kg/m³ @15°C
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **10.5. Incompatible materials**

## No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Acute toxicity (dermal)       :       Not classified         Acute toxicity (inhalation)       :       Not classified         Distillates (petroleum), hydrotreated heavy partificic (64742-54-7)          LD50 oral (rat)       > 5000 mg/kg bodyweight         LD50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h         Distillates (petroleum), hydrotreated light partificic (64742-55-8)         LD50 oral (rat)       > 5000 mg/kg         LD50 oral (rat)       > 20000 mg/kg         LD50 oral (rat)       > 0vot classified         Skin corrosion/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Serious eye dam	SECTION 11: Toxicological information	
Acute toxicity (remmal)         i: Not classified           Distilates (petroleum), hydrotreated heavy         > 5000 mg/kg bodyweight           LD50 oral (rat)         > 5000 mg/kg bodyweight           LD50 oral (rat)         > 5000 mg/kg           Distilates (petroleum), hydrotreated light partitive (64742-55-5)         Decempo (Fage)           LD50 oral (rat)         > 5000 mg/kg           LD50 oral (rat)         > 2000 mg/kg           LD50 oral (rat)	11.1. Information on hazard classes as define	ed in Regulation (EC) No 1272/2008
LD50 oral (rat)       > 5000 mg/kg bodyweight         LD50 dermal (rabbit)       > 5.53 mg/t4h         Distilates (petroleum), hydrotreated light par=tinic (64742-55-8)         LD50 oral (rat)       > 5000 mg/kg         LD50 dermal (rabbit)       > 5000 mg/kg         LD50 dermal (rabbit)       > 5000 mg/kg         LD50 oral (rat)       > 20000 mg/kg         LD50 oral (rat)       > Not classified         Semous eye damage/irritation       : Not classified         Bern cell mutagenicity       : Not classified         Semorel mutagenicity       : Not classified	Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified
LD50 demail (rabbit)       > 5000 mg/kg         LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l4h         Distillates (petroleum), hydrotreated light partific (64742-55-8)       E050 oral (rat)         LD50 oral (rat)       > 5000 mg/kg         LD50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l4h         Phosphorodithioic acid, mixed O,O-bis(2-ethy)       = 1 Mark (abbit)         LD50 oral (rat)       3080 mg/kg         LD50 oral (rat)       3080 mg/kg         LD50 oral (rat)       3080 mg/kg         LD50 oral (rat)       > 20000 mg/kg         LD50 oral (rat)       > 20000 mg/kg         LD50 oral (rat)       > 20000 mg/kg         LC50 inhalation (rat) (Vapours - mg/l/4h)       > 2.3 mg/l/4h         Skin corrosion/irritation       : Not classified         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         St70T-single exposure       : Not classified         St70T-single exposure       : Not classified         Distillates (petroleum), hydrotreated heavy partifici (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-ethytacid)       125 mg/kg bodyweight 407 Repeated Dose 28-day	Distillates (petroleum), hydrotreated heavy p	oaraffinic (64742-54-7)
LC50 inhalation (rat) (Dust/Mist - mg/V4h)       > 5.53 mg/V4h         Distillates (petroleum), hydrotreated light partfinic (64742-55-8)         LD50 oral (rat)       > 5000 mg/kg         LD50 dermal (rabbit)       > 5.53 mg/V4h         Phosphorodithioic acid, mixed O,O-bis(2-ettry/Lexyl and iso-Pr) esters, zinc salts (85940-28-9)         LD50 dermal (rabbit)       > 20000 mg/kg         LC50 inhalation (rat) (Vapours - mg/V4h)       > 2.3 mg/V4h         Skin corrosion/irritation       : Not classified         Germ cell mutagenicity       : Not classified         Germ cell mutagenicity       : Not classified         StOT-repade exposure       : Not classified         StOT-repade exposure       : Not classified         StOT-repade exposure       : Not classified         Distillates (petroleum), hydrotreated heavy partfinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       : Not classified         78100 - Motor Oil SL/CF 5W-30       125 mg/kg 0dyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents <td>LD50 oral (rat)</td> <td>&gt; 5000 mg/kg bodyweight</td>	LD50 oral (rat)	> 5000 mg/kg bodyweight
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)         LD50 oral (rai)       > 5000 mg/kg         LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h         Phosphorodithioic acid, mixed O,O-bis(2-ethyl+exyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)         LD50 oral (rabit)       3080 mg/kg         LD50 oral (rabit)       > 20000 mg/kg         LD50 oral (rabit)       > 20000 mg/kg         LD50 oral (rabit)       > 2.3 mg/l/4h         LD50 oral (rabit)       > 2.3 mg/l/4h         LS50 inhalation (rat) (Vapours - mg/l/4h)       > 2.3 mg/l/4h         Skin corrosion/iritation       : Not classified         Respiratory or skin sensitisation       : Not classified         Respiratory or skin sensitisation       : Not classified         Carcinogenicity       : Not classified         StOT-sing (exposure       : Not classified         StOT-sing (exposure       : Not classified         StOT-sing (exposure       : Not classified         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         LDAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-ethyl-txyl and iso-Pr) esters, zinc salts (85940-28-9)       NoAEL (subacute, oral, animal/female, 28 days) <t< td=""><td>LD50 dermal (rabbit)</td><td>&gt; 5000 mg/kg</td></t<>	LD50 dermal (rabbit)	> 5000 mg/kg
LD50 oral (rat)> 6000 mg/kgLD50 oral (rat)> 6000 mg/kgLC50 inhalation (rat) (Dust/Mist - mg/l/4h)> 5.53 mg/l/4hPhosphorodithioic acid, mixed O,O-bis(2-eth/texyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)LD50 oral (rat)3080 mg/kgLD50 oral (rat)3080 mg/kgLD50 derma (rabbit)> 20000 mg/kgLC50 inhalation (rat) (Vapours - mg/l/4h)> 2.3 mg/l/4hSkin corrosion/irritation: Not classifiedSerious eye damage/irritation: Not classifiedGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classifiedCarcinogenicity: Not classifiedStOT-single exposure: Not classifiedStOT-single exposure: Not classifiedStOT-single exposure: Not classifiedStOT-single exposure: Not classifiedDistillates (petroleum), hydrotreated heavy partfinic (64742-54-7)LDAEL (oral, rat, 90 days)125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408Phosphorodithioic acid, mixed O,O-bis(2-eth/texyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)NAEL (subacute, oral, animal/female, 28 days)125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in RodentsAspiration hazard: Not classified78100 - Motor OII SL/CF SW-30125 mg/kg 040°CDistillates (petroleum), hydrotreated heavy partfinic (64742-54-7)Viscosity, kinematic19 mm²/s @40°CDistillates (petroleum), hydrotreated light partfinic (64742-55-8)	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h
LD50 dermal (rabbit)       > 6000 mg/kg         LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h         Phosphorodithioic acid, mixed O,O-bis(2-etty-texyl and iso-Pr) esters, zinc salts (85940-28-9)         LD50 dermal (rabbit)       > 20000 mg/kg         LD50 dermal (rabbit)       > 20000 mg/kg         LD50 dermal (rabbit)       > 2.3 mg/l/4h         Serious eye damage/inritation       Not classified         Serious eye damage/inritation       Not classified         Carcinogenicity       Not classified         Carcinogenicity       Not classified         Carcinogenicity       Not classified         StOT-repeated exposure       Not classified         Distillates (petroleum), hydrotreated heavy partfinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-etty)       Expl and iso-Pr) esters, zinc salts (85940-28-9)         NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       Not classified       Story Kg Bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         NoAEL (subacute, oral, animal/female, 28 days)       125 mg/kg Bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         NoAEL	Distillates (petroleum), hydrotreated light pa	raffinic (64742-55-8)
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)       > 5.53 mg/l/4h         Phosphorodithioic acid, mixed O,O-bis(2-etty-texyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)         LD50 oral (rat)       3080 mg/kg         LD50 oral (rat)       > 20000 mg/kg         LC50 inhalation (rat) (Vapours - mg/l/4h)       > 2.3 mg/l/4h         Skin corrosion/irritation       Not classified         Serious eye damage/irritation       Not classified         Carcinogenicity       Not classified         Carcinogenicity       Not classified         Carcinogenicity       Not classified         Reproductive toxicity       Not classified         STOT-single exposure       Not classified         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         LOAEL (oral, rat, s0 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-etty-texyl and iso-Pr) esters, zinc salts (85940-28-9)         NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-etty-texyl and iso-Pr) esters, zinc salts (85940-28-9)       NOAEL (subacute, oral, animal/female, 28 days)         NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents	LD50 oral (rat)	> 5000 mg/kg
Phosphorodithioic acid, mixed O,O-bis(2-ethyl+exyl and iso-Pr) esters, zinc salts (85940-28-9)         LD50 oral (rat)       3080 mg/kg         LD50 dermal (rabbit)       > 20000 mg/kg         LC50 inhalation (rat) (Vapours - mg/l/4h)       > 2.3 mg/l/4h         Skin corrosion/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         StrOT-repeated exposure       : Not classified         STOT-repeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-ethyl+exyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)         NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       : Not classified         78100 - Motor Oil SL/CF 5W-30       125 mg/kg 40°C         Viscosity, kinematic       65 mm²/s @40°C         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	LD50 dermal (rabbit)	> 5000 mg/kg
LD50 oral (rat)       3080 mg/kg         LD50 dermal (rabbit)       > 20000 mg/kg         LC50 inhalation (rat) (Vapours - mg/l/4h)       > 2.3 mg/l/4h         Skin corrosion/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         STOT-repeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy partific (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-ettry)       Expl yd bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       : Not classified         78100 - Motor Oil SL/CF 5W-30       125 mg/kg 40°C         Viscosity, kinematic       65 mm²/s @40°C         Distillates (petroleum), hydrotreated heavy partificic (64742-54-7)         Viscosity, kinematic       109 mm²/s @40°C         Distillates (petroleum), hydrotreated light partificic (64742-55-8)	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h
LD50 dermal (rabbit)       > 20000 mg/kg         LC50 inhalation (rat) (Vapours - mg/l/4h)       > 2.3 mg/l/4h         Skin corrosion/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         STOT-single exposure       : Not classified         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-ethy+texyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)         NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       : Not classified         78100 - Motor Oil SL/CF 5W-30       125 mg/kg @40°C         Viscosity, kinematic       65 mm²/s @40°C         Distillates (petroleum), hydrotreated heavy paraffinic (64742-55-8)         Viscosity, kinematic       109 mm²/s @40°C         Distillates (petroleum), hydrotreated light paraffinic (64742-55-8) <td>Phosphorodithioic acid, mixed O,O-bis(2-eth</td> <td>ylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)</td>	Phosphorodithioic acid, mixed O,O-bis(2-eth	ylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)
LC50 inhalation (rat) (Vapours - mg/l/4h)       > 2.3 mg/l/4h         Skin corrosion/irritation       : Not classified         Serious eye damage/irritation       : Not classified         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         STOT-srepeated exposure       : Not classified         Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-ett)/texyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)         NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       : Not classified         78100 - Motor Oil SL/CF 5W-30       Viscosity, kinematic         Viscosity, kinematic       65 mm²/s @40°C         Distillates (petroleum), hydrotreated heavy partifinic (64742-55-8)	LD50 oral (rat)	3080 mg/kg
Skin corrosion/irritation       :       Not classified         Serious eye damage/irritation       :       Not classified         Respiratory or skin sensitisation       :       Not classified         Germ cell mutagenicity       :       Not classified         Carcinogenicity       :       Not classified         Reproductive toxicity       :       Not classified         STOT-single exposure       :       Not classified         STOT-repeated exposure       :       Not classified         STOT-repeated exposure       :       Not classified         Distillates (petroleum), hydrotreated heavy partific (64742-54-7)       IDAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-etty)+exyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)       NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       :       Not classified       Toxicity Study in Rodents         Viscosity, kinematic       65 mm²/s @40°C       65 mm²/s @40°C       Distillates (petroleum), hydrotreated heavy partifinic (64742-54-7)         Viscosity, kinematic       109 mm²/s @40°C       Distillates (petroleum), hydrotreated light partifinic (64742-55-8)	LD50 dermal (rabbit)	> 20000 mg/kg
Serious eye damage/irritation       : Not classified         Respiratory or skin sensitisation       : Not classified         Gern cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         Strongenicity       : Not classified         Distillates (petroleum), hydrotreated heavy partinic (64742-54-7)       Interval (64742-54-7)         LOAEL (oral, rat, 90 days)       125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408         Phosphorodithioic acid, mixed O,O-bis(2-eth-yexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)         NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       : Not classified         Strongenicity       : Not classified         Distillates (petroleum), hydrotreated heavy partice (64742-54-7)	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 2.3 mg/l/4h
NOAEL (subacute, oral, animal/female, 28 days)       125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents         Aspiration hazard       : Not classified         78100 - Motor Oil SL/CF 5W-30       65 mm²/s @40°C         Viscosity, kinematic       65 mm²/s @40°C         Distillates (petroleum), hydrotreated heavy p=rffinic (64742-54-7)         Viscosity, kinematic       109 mm²/s @40°C         Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure <b>Distillates (petroleum), hydrotreated heavy p</b> LOAEL (oral, rat, 90 days)	<ul> <li>Not classified</li> <li>2000 100 100 100 100 100 100 100 100 100</li></ul>
Aspiration hazard     : Not classified       78100 - Motor Oil SL/CF 5W-30     65 mm²/s @40°C       Viscosity, kinematic     65 mm²/s @40°C       Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)     109 mm²/s @40°C       Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)     109 mm²/s @40°C		
78100 - Motor Oil SL/CF 5W-30         Viscosity, kinematic       65 mm²/s @40°C         Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         Viscosity, kinematic       109 mm²/s @40°C         Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	· · · · · · · · · · · · · · · · · · ·	
Viscosity, kinematic     65 mm²/s @40°C       Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)       Viscosity, kinematic     109 mm²/s @40°C       Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)         Viscosity, kinematic       109 mm²/s @40°C         Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		65 mm²/s @40°C
Viscosity, kinematic 109 mm²/s @40°C Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Viscosity, kinematic 1.99 – 847 mm <sup>2</sup> /s @40°C	Distillates (petroleum), hydrotreated light pa	raffinic (64742-55-8)
	Viscosity, kinematic	1.99 – 847 mm²/s @40°C

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 11.2. Information on other hazards

### No additional information available

SECTION 12: Ecological information	SECTION 12: Ecological information	
12.1. Toxicity		
Hazardous to the aquatic environment, short-term :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified	
(acute) Hazardous to the aquatic environment, long-term : (chronic) Not rapidly degradable	Not classified	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
NOEC chronic fish	1000 mg/l 14d	
NOEC chronic crustacea	10 mg/l 21d	
NOEC chronic algae	> 100 mg/l 72Hrs	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
NOEC chronic fish	≥ 1000 mg/l Oncorhynchus mykiss	
NOEC chronic crustacea	10 mg/l Daphnia magna	
Phosphorodithioic acid, mixed 0,0-bis(2-ethy	Ihexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)	
LC50 - Fish [1]	4.5 mg/l Oncorhynchus mykiss	
EC50 - Crustacea [1]	5.4 mg/l Daphnia magna	
EC50 96h - Algae [1]	2.1 mg/l Selenastrum capricornutum	
NOEC chronic crustacea	0.4 mg/l Daphnia magna	
NOEC chronic algae	1 mg/l Selenastrum capricornutum	
12.2. Persistence and degradability		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % 28 d OECD 301F	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)		
Biodegradation	31 % 28 d, OECD TG 301 F	
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	1.5 % OECD 301B 28 days	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)
Partition coefficient n-octanol/water (Log Pow)	> 3.5
Distillates (petroleum), hydrotreated light para	affinic (64742-55-8)
Partition coefficient n-octanol/water (Log Pow) > 6	
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)	
Partition coefficient n-octanol/water (Log Pow)     8.87 @20°C	
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	

## 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.1. UN number or ID n	umber	· · · · · ·	1	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	g name	· '	· · ·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard c	lass(es)	· '	· · ·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			· · · · · · · · · · · · · · · · · · ·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards	·	·	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information	n available		1	

## 14.6. Special precautions for user

Overland transport Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## Transport by sea

Not applicable

## Air transport

Not applicable

#### Inland waterway transport Not applicable

### Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
L.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH210	Safety data sheet available on request.
Eye Dam. 1     Serious eye damage/eye irritation, Category 1	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.