

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 29/08/2018 Revision date: 11/10/2022 Supersedes version of: 05/07/2022 Version: 3.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : 76500 - Hydraulic Oil HM 15

Product code : 76500

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use Function or use category : Lubricants and additives

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Transnational Blenders B.V. B.V.

Wieldrechtseweg, 37

NL- 3316 BG Dordrecht - Netherlands Zuid Holland

Netherlands

T+31 (0)78 6527652

technical@tnb.nl - www.tnb.nl

#### 1.4. Emergency telephone number

Emergency number : +31 (0)78 6527652

Monday to Friday: 09:00 - 16:00 (CET)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard, Category 1 H304

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May be fatal if swallowed and enters airways.

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS08 : Danger

Signal word (CLP)

Contains : Distillates (petroleum), solvent-dewaxed heavy paraffinic, Lubricating oils (petroleum), C20-

50, hydrotreated neutral oil

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.

P331 - Do NOT induce vomiting.

P405 - Store locked up.

P501 - Dispose of contents and container to an approved waste disposal plant.

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil substance with a Community workplace exposure limit	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	≥ 50 – < 75	Asp. Tox. 1, H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	25 – 35	Asp. Tox. 1, H304
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) substance with national workplace exposure limit(s) (DE, SK)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	0.1 – 0.3	Eye Dam. 1, H318 Aquatic Chronic 2, H411
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	< 0.3	Not classified
2,6-Di-tert-butylphenol substance with a Community workplace exposure limit	CAS-No.: 128-39-2 EC-No.: 204-884-0 REACH-no: 01-2119490822- 33	< 0.3	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	( 50 <c 2,="" 80)="" eye="" h319<br="" irrit.="" ≤="">( 80 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c></c>

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : After adequate first aid, no further treatment is required unless symptoms reappear. Symptoms/effects after skin contact : After adequate first aid, no further treatment is required unless symptoms reappear. Symptoms/effects after eye contact : After adequate first aid, no further treatment is required unless symptoms reappear.

Symptoms/effects after ingestion : Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Eliminate all ignition sources if safe to do so.

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

11/10/2022 (Revision date) GB - en 3/13

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Handling temperature : ≤ 40 °C

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

Storage temperature : 50 °C

Storage area : Store away from heat. Store in a well-ventilated place.

Special rules on packaging : Store in a closed container. Keep only in original container.

### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
IOEL STEL	10 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m³	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
IOEL STEL	10 mg/m³	
2,6-Di-tert-butylphenol (128-39-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	3.5 mg/m³	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.35		EN ISO 374

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : light brown.
Odour : characteristic.
Odour threshold : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Melting point : Not applicable Freezing point : -39 °C ASTM D7346 Boiling point Not available Flammability : Non flammable. **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 180 °C ASTM D92 : Not available

Auto-ignition temperature : Not available Decomposition temperature : Not available pH : Not available

Viscosity, kinematic : 16 mm²/s @40°C (ASTM D7042)

Solubility : insoluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50 °C : Not available

Density : 838 kg/m³ @15°C (ASTM D4052)

Relative density : Not available
Relative vapour density at 20 °C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 oral (rat)	Distillates (petroleum), solvent-dewaxed heavy	y paraffinic (64742-65-0)
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)   LD50 oral (rat)   > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test     LD50 oral (rat)   > 5000 mg/kg 402 Acute Dermal Toxicity Test     LD50 dermal (rabbit)   > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test     LD50 dermal (rat) (Dust/Mist - mg/l/4h)   > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test     Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)     LD50 oral (rat)   > 5000 mg/kg     LD50 dermal (rabbit)   > 2000 mg/kg     LD50 dermal (rabbit)   > 2000 mg/kg     LD50 dermal (rabbit)   > 5.53 mg/l/4h     Zinc bis(O,O-bis(2-ethylhexyl)) bis(dithiophosphate) (4259-15-8)     LD50 oral (rat)   3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)     LD50 dermal (rabbit)   > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)     LD50 dermal (rabbit)   > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)     LD50 dermal (rabbit)   > 5000 mg/kg bodyweight     LD50 dermal (rabbit)   > 10000 mg/kg     Skin corrosion/irritation   Not classified     Respiratory or skin sensitisation   Not classified     Respiratory or skin sensitisation   Not classified     Respiratory or skin sensitisation   Not classified     Responductive toxicity   Not classified     Reproductive toxicity   Not classified     STOT-single exposure   Not classified     STOT-single exposu	LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)  LD50 oral (rat)   > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test  LD50 dermal (rabbit)   > 5000 mg/kg 402 Acute Dermal Toxicity Test  LC50 inhalation (rat) (Dust/Mist - mg/l/4h)   > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)  LD50 oral (rat)   > 5000 mg/kg  LD50 dermal (rabbit)   > 2000 mg/kg  LC50 inhalation (rat) (Dust/Mist - mg/l/4h)   > 5.53 mg/l/4h  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  LD50 oral (rat)   3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)  LD50 dermal (rabbit)   > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  Z,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat)   > 5000 mg/kg bodyweight  LD50 dermal (rabbit)   > 10000 mg/kg  Skin corrosion/irritation   Not classified  Serious eye damage/irritation   Not classified  Respiratory or skin sensitisation   Not classified  Germ cell mutagenicity   Not classified  Germ cell mutagenicity   Not classified  Carcinogenicity   Not classified  Reproductive toxicity   Not classified  STOT-single exposure   Not classified	LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test
LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test  LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test  LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)  LD50 oral (rat) > 5000 mg/kg  LD50 dermal (rabbit) > 2000 mg/kg  LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  LD50 oral (rat) 3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)  LD50 dermal (rabbit) > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  Z,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Germ cell mutagenicity : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Resporductive toxicity : Not classified  STOT-single exposure : Not classified	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test
LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test  LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)  LD50 oral (rat) > 5000 mg/kg  LD50 dermal (rabbit) > 2000 mg/kg  LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  LD50 oral (rat) 3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)  LD50 dermal (rabbit) > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  Z,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Germ cell mutagenicity : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reporductive toxicity : Not classified  STOT-single exposure : Not classified	Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)
LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test  Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)  LD50 oral (rat) > 5000 mg/kg  LD50 dermal (rabbit) > 2000 mg/kg  LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  LD50 oral (rat) 3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)  LD50 dermal (rabbit) > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  Z,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Gercologenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified	LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)  LD50 oral (rat)	LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test
LD50 oral (rat) > 5000 mg/kg  LD50 dermal (rabbit) > 2000 mg/kg  LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  LD50 oral (rat) 3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)  LD50 dermal (rabbit) > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  Z,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Germ cell mutagenicity : Not classified  Reproductive toxicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test
LD50 dermal (rabbit) > 2000 mg/kg  LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  LD50 oral (rat) 3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)  LD50 dermal (rabbit) > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  2,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Germ cell mutagenicity : Not classified  Reproductive toxicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified	Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil (72623-87-1)
LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h  Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  LD50 oral (rat) 3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)  LD50 dermal (rabbit) > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  2,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Germ cell mutagenicity : Not classified  Reproductive toxicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified	LD50 oral (rat)	> 5000 mg/kg
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)  LD50 oral (rat) 3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)  LD50 dermal (rabbit) > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  2,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified	LD50 dermal (rabbit)	> 2000 mg/kg
LD50 oral (rat)  LD50 dermal (rabbit)  2,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat)  > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  2,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat)  > 5000 mg/kg bodyweight  > 10000 mg/kg  Skin corrosion/irritation  Serious eye damage/irritation  Serious eye damage/irritation  Respiratory or skin sensitisation  Germ cell mutagenicity  Not classified  Carcinogenicity  Not classified  Reproductive toxicity  Stort classified	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h
LD50 dermal (rabbit) > 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)  2,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos	phate) (4259-15-8)
2,6-Di-tert-butylphenol (128-39-2)  LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified	LD50 oral (rat)	3100 mg/kg bodyweight OECD Guideline 401 (Acute Oral Toxicity)
LD50 oral (rat) > 5000 mg/kg bodyweight  LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified  Serious eye damage/irritation : Not classified  Respiratory or skin sensitisation : Not classified  Germ cell mutagenicity : Not classified  Carcinogenicity : Not classified  Reproductive toxicity : Not classified  STOT-single exposure : Not classified	LD50 dermal (rabbit)	> 5000 mg/kg bodyweight OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal (rabbit) > 10000 mg/kg  Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified	2,6-Di-tert-butylphenol (128-39-2)	
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified	LD50 oral (rat)	> 5000 mg/kg bodyweight
Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified	LD50 dermal (rabbit)	> 10000 mg/kg
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified	Skin corrosion/irritation :	Not classified
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified	-	Not classified
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified		
Reproductive toxicity : Not classified STOT-single exposure : Not classified		
STOT-single exposure : Not classified		
OTOT manual advantage of the second of the s		
STOT-repeated exposure : Not classified	· ·	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	, , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·
LOAEL (oral, rat, 90 days)  125 mg/kg bodyweight	LOAEL (oral, rat, 90 days)	
NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight	NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)
LOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos	phate) (4259-15-8)
NOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	NOAEL (oral, rat, 90 days)	
Aspiration hazard : May be fatal if swallowed and enters airways.	Aspiration hazard : !	May be fatal if swallowed and enters airways.
76500 - Hydraulic Oil HM 15	76500 - Hydraulic Oil HM 15	
Viscosity, kinematic 16 mm²/s @40°C (ASTM D7042)	Viscosity, kinematic	16 mm²/s @40°C (ASTM D7042)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)
Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C	Viscosity, kinematic	150 (1.99 – 847) mm²/s @40°C
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)
Viscosity, kinematic 109 mm²/s @40°C	Viscosity, kinematic	109 mm²/s @40°C

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
Viscosity, kinematic	47 mm²/s	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
Viscosity, kinematic	131.6 mm²/s @40°C	
2,6-Di-tert-butylphenol (128-39-2)		
Viscosity, kinematic Not applicable		

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

,		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)	
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Scenedesmus quadricauda	
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)	
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)	
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata (72h)	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)		
LC50 - Fish [1]	> 100 mg/l	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
LC50 - Fish [1]	4.4 mg/l Cyprinodon variegatus	
EC50 - Crustacea [1]	1.2 mg/l	
EC50 72h - Algae [1]	410 mg/l	
NOEC chronic crustacea	0.4 mg/l Daphnia magna (21d)	
NOEC chronic algae	220 mg/l Desmodesmus subspicatus (72h)	
2,6-Di-tert-butylphenol (128-39-2)		
LC50 - Fish [1]	1.4 mg/l Pimephales promelas	
LC50 - Fish [2]	13 mg/l Oncorhynchus mykiss	
EC50 - Crustacea [1]	0.45 mg/l Daphnia	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2,6-Di-tert-butylphenol (128-39-2)	
EC50 72h - Algae [1]	3.6 mg/l Selenastrum capricornutum
LOEC (chronic)	0.086 mg/l Daphnia magna Duration: '21 d'
NOEC chronic algae	0.64 mg/l

## 12.2. Persistence and degradability

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Biodegradation	31 % 28 d OECD 301F	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % 28 d OECD 301F	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	< 5 % 27d	
2,6-Di-tert-butylphenol (128-39-2)		
Biodegradation	24 % 28 Days	

## 12.3. Bioaccumulative potential

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Bioconcentration factor (BCF REACH)	260	
Partition coefficient n-octanol/water (Log Pow) > 6		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Partition coefficient n-octanol/water (Log Pow)	> 3.5	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
Partition coefficient n-octanol/water (Log Pow)	3.59	
2,6-Di-tert-butylphenol (128-39-2)		
Partition coefficient n-octanol/water (Log Kow)  4.5 0.1d		

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available			

### 14.6. Special precautions for user

#### Overland transport

No data available

### Transport by sea

No data available

#### Air transport

No data available

## Inland waterway transport

No data available

#### Rail transport

No data available

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
9.1	Viscosity, kinematic	Modified	
9.1	Freezing point	Modified	
9.1	Flash point	Modified	
9.1	Density	Modified	
16	Abbreviations and acronyms	Modified	

Abbreviations and acronyms:	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.