

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : 78410 - Gear Oil MTF 75W-80
Product code : 78410

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Transnational Blenders B.V.
Wieldrechtseweg 37
3316 BG Dordrecht - Netherlands
T +31 (0)78 6527652
technical@tnb.nl - www.tnb.nl

1.4. Emergency telephone number

Emergency number : +31 (0)78 6527652
Monday to Friday: 09:00 - 16:00 (CET)

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|---------------------------------|------------------|---------|
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER London | +44 20 7188 7188 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P273 - Avoid release to the environment.
P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|------------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil substance with a Community workplace exposure limit (Note L) | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25 | ≥ 75 | Asp. Tox. 1, H304 |
| Methacrylate copolymer | CAS-No.: Conf0551 | 1 – 2.5 | Eye Irrit. 2, H319 |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil (Note L) | CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077-29 | 1 – 2.5 | Asp. Tox. 1, H304 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil substance with a Community workplace exposure limit (Note L) | CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299-27 | 0.5 – 2.5 | Not classified |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | EC-No.: 931-384-6 REACH-no: 01-2119493620-38 | 0.1 – 1 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines | CAS-No.: 1213789-63-9 EC-No.: 627-034-4 REACH-no: 01-2119473797-19 | 0.05 – 0.5 | Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |

Specific concentration limits

| Name | Product identifier | Specific concentration limits |
|---|---|------------------------------------|
| Methacrylate copolymer | CAS-No.: Conf0551 | (75 ≤C < 100) Eye Irrit. 2, H319 |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | EC-No.: 931-384-6 REACH-no: 01-2119493620-38 | (9.4 ≤C < 100) Skin Sens. 1, H317 |

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H- and EUH-statements: see section 16

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7) | |
|--|---------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| IOEL TWA | 5 mg/m ³ |

| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) | |
|---|----------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| IOEL TWA | 5 mg/m ³ |
| IOEL STEL | 10 mg/m ³ |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-------------------------------|
| Physical state | : Liquid |
| Colour | : Brown. |
| Odour | : Not available |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : -36 °C |
| Boiling point | : Not available |
| Flammability | : Not applicable |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : > 190 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : 56 mm ² /s @40°C |
| Solubility | : insoluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : 869.7 kg/m ³ |
| Relative density | : Not available |
| Relative vapour density at 20 °C | : Not available |
| Particle size | : Not applicable |
| Particle size distribution | : Not applicable |
| Particle shape | : Not applicable |
| Particle aspect ratio | : Not applicable |
| Particle aggregation state | : Not applicable |
| Particle agglomeration state | : Not applicable |
| Particle specific surface area | : Not applicable |
| Particle dustiness | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

| | |
|---|-------------------------|
| LD50 oral (rat) | > 5000 mg/kg bodyweight |
| LD50 dermal (rabbit) | > 5000 mg/kg |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.53 mg/l/4h |

Methacrylate copolymer (Conf0551)

| | |
|-----------------|--------------|
| LD50 oral (rat) | > 2000 mg/kg |
|-----------------|--------------|

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0)

| | |
|---|-------------------------|
| LD50 oral (rat) | > 5000 mg/kg bodyweight |
| LD50 dermal (rabbit) | > 5000 mg/kg |
| LC50 inhalation (rat) (Vapours - mg/l/4h) | > 5.53 mg/l/4h |

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

| | |
|-----------------|-----------------------|
| LD50 oral (rat) | 2000 mg/kg |
| ATE CLP (oral) | 2000 mg/kg bodyweight |

C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9)

| | |
|-----------------|------------|
| LD50 oral (rat) | 1689 mg/kg |
|-----------------|------------|

Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

| | |
|---|----------------|
| LD50 oral (rat) | > 5000 mg/kg |
| LD50 dermal (rabbit) | > 2000 mg/kg |
| LC50 inhalation (rat) (Vapours - mg/l/4h) | > 5.53 mg/l/4h |

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9)

| | |
|----------------------|-----------------------------------|
| STOT-single exposure | May cause respiratory irritation. |
|----------------------|-----------------------------------|

STOT-repeated exposure : Not classified

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7) | |
|--|---|
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight |
| NOAEL (dermal, rat/rabbit, 90 days) | ≈ 1000 mg/kg bodyweight |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | |
| NOAEL (subacute, oral, animal/male, 28 days) | 500 mg/kg bodyweight |
| NOAEL (subacute, oral, animal/female, 28 days) | 150 mg/kg bodyweight |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| NOAEL (oral, rat, 90 days) | 3.25 mg/kg bodyweight |
| STOT-repeated exposure | May cause damage to organs (gastro-intestinal tract, immune system, liver) through prolonged or repeated exposure (if swallowed). |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8) | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |

Aspiration hazard : Not classified

| 78410 - Gear Oil MTF 75W-80 | |
|------------------------------------|-----------------------------|
| Viscosity, kinematic | 56 mm ² /s @40°C |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects. |
| Not rapidly degradable | |

| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7) | |
|--|--|
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna |
| EC50 72h - Algae [1] | > 100 mg/l Pseudokirchneriella subcapitata |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss |
| NOEC chronic crustacea | 10 mg/l Daphnia magna |
| NOEC chronic algae | > 100 mg/l Pseudokirchneriella subcapitata |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna |

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) | |
|--|--|
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss |
| NOEC chronic crustacea | 10 mg/l Daphnia magna |
| NOEC chronic algae | > 100 mg/l Pseudokirchneriella subcapitata |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | |
| LC50 - Fish [1] | 24 mg/l (Oncorhynchus mykiss, 96h) (OECD 203 method) |
| LC50 - Fish [2] | 8.5 mg/l Pimephales promelas |
| EC50 - Crustacea [1] | 91.4 mg/l 91,4 mg/l (Daphnia magna, 48h) (OECD 202 method) |
| EC50 96h - Algae [1] | 15 mg/l (Pseudokirchnerella subcapitata, 96h) (OECD 201 method) |
| NOEC (chronic) | 0.12 mg/l |
| NOEC chronic fish | 3.2 mg/l |
| NOEC chronic crustacea | 0.12 mg/l (Daphnia magna, 21d) (OECD 211 method) |
| NOEC chronic algae | 2.8 mg/l (Pseudokirchnerella subcapitata, 96h) (OECD 201 method) |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| LC50 - Fish [1] | 0.06 mg/l Pimephales promelas |
| EC50 - Crustacea [1] | 0.011 mg/l Daphnia magna |
| EC50 96h - Algae [1] | 0.04 mg/l Selenastrum capricornutum |
| NOEC (chronic) | 0.013 mg/l Daphnia magna Duration: '21 d' |
| NOEC chronic algae | 0.01 mg/l Selenastrum capricornutum |
| Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8) | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas |
| EC50 - Crustacea [1] | > 1000 mg/l Daphnia magna |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss |
| NOEC chronic crustacea | 10 mg/l Daphnia magna |
| NOEC chronic algae | ≥ 100 mg/l Pseudokirchneriella subcapitata |
| 12.2. Persistence and degradability | |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7) | |
| Persistence and degradability | Not readily biodegradable. |
| Biodegradation | 31 % 28 d OECD 301F |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) | |
| Persistence and degradability | Not readily biodegradable. |
| Biodegradation | 31 % 28 d OECD 301F |
| Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) | |
| Persistence and degradability | Readily biodegradable. |
| Biodegradation | 7.4 % 28 DY, OECD TG 301 B |
| C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9) | |
| Persistence and degradability | Readily biodegradable. |

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

C16-18-(even numbered, saturated and unsaturated)-alkylamines (1213789-63-9)

| | |
|----------------|---------------------|
| Biodegradation | 66 % 28 d OECD 301B |
|----------------|---------------------|

Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

| | |
|----------------|--------------------------|
| Biodegradation | 31 % 28 d, OECD TG 301 F |
|----------------|--------------------------|

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

| | |
|---|-----|
| Partition coefficient n-octanol/water (Log Kow) | > 4 |
|---|-----|

Methacrylate copolymer (Conf0551)

| | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 6.68 |
|---|------|

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0)

| | |
|-------------------------------------|-----|
| Bioconcentration factor (BCF REACH) | 260 |
|-------------------------------------|-----|

| | |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | 9.2 |
|---|-----|

Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

| | |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | > 6 |
|---|-----|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|----------------|----------------|----------------|----------------|
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |

78410 - Gear Oil MTF 75W-80

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Full text of H- and EUH-statements | |
|------------------------------------|--|
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Safety Data Sheet (SDS), EU

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness