

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : 77290 - Industrial Synthetic Gear Oil 220  
Product code : 77290

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Transnational Blenders bv  
Wieldrechtseweg, 37  
NL- 3316 BG Dordrecht – Netherlands Zuid Holland  
Netherlands  
T +31 (0)78 6527652  
[technical@tnb.nl](mailto:technical@tnb.nl) - [www.tnb.nl](http://www.tnb.nl)

#### 1.4. Emergency telephone number

| Country        | Organisation/Company   | Address                    | Emergency number | Comment                              |
|----------------|--|----------------------------|------------------|--------------------------------------|
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Guy's & St<br>Thomas' Hospital Trust | Avonley Road<br>SE14 5ER   | +44 20 7188 7188 |                                      |
| United Kingdom | National Poisons Information Service<br>(Belfast Centre)<br>Royal Victoria Hospital              | Grosvenor Road<br>BT12 6BA | 0344 892 0111    | Only for healthcare<br>professionals |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name   | Product identifier   | %           | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-------------|---|
| 1-Decene, homopolymer, hydrogenated substance with national workplace exposure limit(s) (BG) | CAS-No.: 68037-01-4<br>EC-No.: 500-183-1<br>REACH-no: 01-2119486452-34 | ≥ 75 – < 90 | Not classified  |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water.                                |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.                         |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.           |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |  |
|-------------------------------------|--|
| Symptoms/effects                    | : After adequate first aid, no further treatment is required unless symptoms reappear. |
| Symptoms/effects after inhalation   | : After adequate first aid, no further treatment is required unless symptoms reappear. |
| Symptoms/effects after skin contact | : After adequate first aid, no further treatment is required unless symptoms reappear. |
| Symptoms/effects after eye contact  | : After adequate first aid, no further treatment is required unless symptoms reappear. |
| Symptoms/effects after ingestion    | : After adequate first aid, no further treatment is required unless symptoms reappear. |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |   |
|--------------------------------|---|
| Suitable extinguishing media   | : Water spray. Dry powder. Foam. Carbon dioxide.                |
| Unsuitable extinguishing media | : Do not use a water jet since it may cause the fire to spread. |

#### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Precautionary measures fire    | : Exercise caution when fighting any chemical fire.  |
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers.   |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |  |
|------------------|--|
| General measures | : Avoid spilling the product, as this might cause falls. |
|------------------|--|

# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear suitable protective clothing, gloves and eye/face protection. For further information refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes.  
Handling temperature : ≤ 40 °C  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation.  
Storage conditions : Store in a well-ventilated place. Keep cool.  
Storage temperature : ≤ 40 °C  
Storage area : Store in a well-ventilated place. Store away from heat.  
Special rules on packaging : Keep only in original container. Store in a closed container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

##### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Use splash goggles when eye contact due to splashing is possible. Safety glasses

| Eye protection |                      |                 |          |
|----------------|----------------------|-----------------|----------|
| Type           | Field of application | Characteristics | Standard |
| Safety glasses | Droplet              | clear           | EN 166   |

#### 8.2.2.2. Skin protection

##### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

##### Hand protection:

Time of penetration is to be checked with the glove producer

| Hand protection |                      |                   |                |             |            |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Type            | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | >0.35          |             | EN ISO 374 |

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

No respiratory protection needed under normal use conditions. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                 |                       |
|-----------------|-----------------------|
| Physical state  | : Liquid              |
| Colour          | : Yellow. amber.      |
| Odour           | : Not available       |
| Odour threshold | : Not available       |
| Melting point   | : Not applicable      |
| Freezing point  | : -48 °C (ASTM D7346) |
| Boiling point   | : Not available       |
| Flammability    | : Non flammable.      |

# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |  |
|---|--|
| Lower explosion limit                           | : Not available                              |
| Upper explosion limit                           | : Not available                              |
| Flash point                                     | : > 218 °C (ASTM D92)                        |
| Auto-ignition temperature                       | : Not available                              |
| Decomposition temperature                       | : Not available                              |
| pH  | : Not available                              |
| Viscosity, kinematic                            | : 236 mm <sup>2</sup> /s @ 40°C (ASTM D7042) |
| Solubility                                      | : insoluble in water.                        |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                              |
| Vapour pressure                                 | : Not available                              |
| Vapour pressure at 50°C                         | : Not available                              |
| Density   | : 856 kg/m <sup>3</sup> @ 15°C (ASTM D4052)  |
| Relative density                                | : Not available                              |
| Relative vapour density at 20°C                 | : Not available                              |
| Particle characteristics                        | : Not applicable                             |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### 1-Decene, homopolymer, hydrogenated (68037-01-4)

|   |               |
|---|---------------|
| LD50 oral (rat)                             | > 5000 mg/kg  |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.2 mg/l/4h |

|                               |                  |
|-------------------------------|------------------|
| Skin corrosion/irritation     | : Not classified |
| Serious eye damage/irritation | : Not classified |

# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                   |                  |
|-----------------------------------|------------------|
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity            | : Not classified |
| Carcinogenicity                   | : Not classified |
| Reproductive toxicity             | : Not classified |
| STOT-single exposure              | : Not classified |
| STOT-repeated exposure            | : Not classified |

### 1-Decene, homopolymer, hydrogenated (68037-01-4)

|  |                             |
|--|-----------------------------|
| NOAEL (oral, rat, 90 days)                   | 4159.4 mg/kg bodyweight/day |
| NOAEL (subacute, oral, animal/male, 28 days) | 6245 mg/kg bodyweight       |

Aspiration hazard : Not classified

### 77290 - Industrial Synthetic Gear Oil 220

|                      |  |
|----------------------|--|
| Viscosity, kinematic | 236 mm <sup>2</sup> /s @ 40°C (ASTM D7042) |
|----------------------|--|

### 1-Decene, homopolymer, hydrogenated (68037-01-4)

|                      |                              |
|----------------------|------------------------------|
| Viscosity, kinematic | 5.1 mm <sup>2</sup> /s @40°C |
|----------------------|------------------------------|

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified  |

### 1-Decene, homopolymer, hydrogenated (68037-01-4)

|                        |                 |
|------------------------|-----------------|
| LC50 - Fish [1]        | > 1000 mg/l     |
| EC50 - Crustacea [1]   | > 1000 mg/l     |
| NOEC chronic crustacea | 125 mg/l (21d)  |
| NOEC chronic algae     | 1000 mg/l (72h) |

### 12.2. Persistence and degradability

### 1-Decene, homopolymer, hydrogenated (68037-01-4)

|                               |                            |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
|-------------------------------|----------------------------|

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|  |  |
|--|--|
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions.  |
| Product/Packaging disposal recommendations | : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.  |
| European List of Waste (LoW, EC 2000/532)  | : 13 02 06* - synthetic engine, gear and lubricating oils  |
| HP Code                                    | : HP3 - "Flammable:"<br>– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;<br>– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;<br>– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;<br>– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;<br>– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;<br>– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG  | IATA                              | ADN                               | RID                               |
|---|---|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>14.1. UN number or ID number</b>     |   |                                   |                                   |                                   |
| Not regulated for transport             |   |                                   |                                   |                                   |
| <b>14.2. UN proper shipping name</b>    |   |                                   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.3. Transport hazard class(es)</b> |   |                                   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.4. Packing group</b>              |   |                                   |                                   |                                   |
| Not applicable                          | Not applicable  | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.5. Environmental hazards</b>      |   |                                   |                                   |                                   |
| Dangerous for the environment: No       | Dangerous for the environment: No<br>Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information available  |   |                                   |                                   |                                   |

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

No data available

# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Inland waterway transport

No data available

### Rail transport

No data available

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Indication of changes |   |          |          |
|-----------------------|---|----------|----------|
| Section               | Changed item  | Change   | Comments |
|                       | Revision date   | Modified |          |
|                       | Supersedes  | Modified |          |
| 2.1                   | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Added    |          |
| 2.2                   | Hazard statements (CLP)   | Added    |          |
| 2.2                   | Precautionary statements (CLP)                                  | Added    |          |



# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Indication of changes |  |          |          |
|-----------------------|--|----------|----------|
| Section               | Changed item                           | Change   | Comments |
| 3                     | Composition/information on ingredients | Modified |          |
| 6.1                   | General measures                       | Added    |          |
| 9.1                   | Colour                                 | Modified |          |
| 10.5                  | Incompatible materials                 | Added    |          |

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |
| BOD                         | Biochemical oxygen demand (BOD)   |
| COD                         | Chemical oxygen demand (COD)  |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC-No.                      | European Community number   |
| EC50                        | Median effective concentration  |
| EN                          | European Standard   |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |
| NOEC                        | No-Observed Effect Concentration  |
| OECD                        | Organisation for Economic Co-operation and Development  |
| OEL                         | Occupational Exposure Limit   |
| PBT                         | Persistent Bioaccumulative Toxic  |
| PNEC                        | Predicted No-Effect Concentration   |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS                         | Safety Data Sheet   |
| STP                         | Sewage treatment plant  |
| ThOD                        | Theoretical oxygen demand (ThOD)  |
| TLM                         | Median Tolerance Limit  |
| VOC                         | Volatile Organic Compounds  |
| CAS-No.                     | Chemical Abstract Service number  |

# 77290 - Industrial Synthetic Gear Oil 220

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

|        |  |
|--------|--|
| N.O.S. | Not Otherwise Specified                  |
| vPvB   | Very Persistent and Very Bioaccumulative |
| ED     | Endocrine disrupting properties          |

### Full text of H- and EUH-statements:

|        |   |
|--------|---|
| EUH210 | Safety data sheet available on request. |
|--------|---|

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.