

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 20/02/2018 Revision date: 17/11/2023 Supersedes version of: 08/09/2023 Version: 8.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : 77510 - Marine Oil CO 570

Product code : 77510

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Function or use category : Lubricants and additives

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Transnational Blenders bv
Wieldrechtseweg, 37
NL- 3316 BG Dordrecht - Netherlands Zuid Holland
Netherlands
T +31 (0)78 6527652
technical@tnb.nl - www.tnb.nl

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Reproductive toxicity, Category 1B H360 Hazardous to the aquatic environment – Chronic Hazard, H412 Category 3

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May damage fertility. May damage the unborn child.. Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GH508

Signal word (CLP) : Danger

Contains : Phenol, dodecyl-, branched

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H360 - May damage fertility. May damage the unborn child..

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective clothing, protective gloves. P308+P313 - IF exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Phenol, dodecyl-, branched (121158-58-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Phenol, dodecyl-, branched(121158-58-5)	The substance is included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 45 – < 55	Not classified
Residual oils (petroleum), solvent-dewaxed substance with national workplace exposure limit(s) (NL)	CAS-No.: 64742-62-7 EC-No.: 265-166-0 EC Index-No.: 649-471-00-X REACH-no: 01-2119480472- 38	≥ 25 – < 45	Not classified
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50	REACH-no: 01-2119524004-	≥3-<5	Aquatic Chronic 4, H413

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol; ethylene glycol substance with national workplace exposure limit(s) (AT, BE, DE, DK, ES, FI, FR, GB, IE, MT, NL, SE, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28	≥ 0.1 – < 3	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
Phenol, dodecyl-, branched substance listed as REACH Candidate (Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)) substance identified as having endocrine disrupting properties	CAS-No.: 121158-58-5 EC-No.: 310-154-3 EC Index-No.: 604-092-00-9 REACH-no: 01-2119513207-	≥ 0.3 – < 1	Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

17/11/2023 (Revision date) GB - en 3/15

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Emergency procedures** : Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Avoid contact with skin and eyes. Obtain special

instructions before use. Do not handle until all safety precautions have been read and

understood. Wear personal protective equipment.

Handling temperature ≤ 40 °C

Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke Hygiene measures

when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation.

Storage conditions Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Keep container closed when not in use. Store locked up. Store in a well-ventilated place.

Keep cool.

Storage temperature : ≤ 40 °C

: Store in a well-ventilated place. Store away from heat. Storage area Special rules on packaging

: Keep only in original container. Store in a closed container.

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

thanediol; ethylene glycol (107-21-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Ethylene glycol
IOEL TWA	52 mg/m³
IOEL TWA [ppm]	20 ppm
IOEL STEL	104 mg/m³
IOEL STEL [ppm]	40 ppm

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanediol; ethylene glycol (107-21-1)		
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	52 mg/m³ (vapour)	
WEL TWA (OEL TWA) [2]	20 ppm (vapour)	
WEL STEL (OEL STEL)	104 mg/m³ (vapour)	
WEL STEL (OEL STEL) [ppm]	40 ppm (vapour)	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

# 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

## Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

## 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR), Neoprene rubber (HNBR)	5 (> 240 minutes)	0.7	3 (> 0.65)	EN ISO 374
	Polyvinylchloride (PVC)	2 (> 30 minutes)	0.4	3 (> 0.65)	EN ISO 374

#### 8.2.2.3. Respiratory protection

### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : brown. Odour : Not available Odour threshold : Not available Melting point : Not applicable Freezing point : -30 °C (ASTM D7346) Boiling point : Not available Flammability : Non flammable. : Not available

Lower explosion limit : Not available Upper explosion limit

Flash point : > 201 °C (ASTM D92)

Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available

: 237 mm²/s @ 40°C (ASTM D7042) Viscosity, kinematic

Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available

Density : 935 @ 15°C (ASTM D4052)

Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Strong oxidizing agents.

LD50 oral (rat)

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50

ricato toxiony (iliilatatori)		
ethanediol; ethylene glycol (107-21-1)		
LD50 oral (rat)	7712 mg/kg	
LD50 dermal	> 3500 mg/kg	
LC50 inhalation (rat) (mg/l)	> 2.5 mg/l (6h)	
Residual oils (petroleum), solvent-dewaxed (64742-62-7)		
LD50 oral (rat)	> 5000 mg/kg	
LD50 dermal (rat)	> 2000 mg/kg	
Phenol, dodecyl-, branched (121158-58-5)		
LD50 oral (rat)	2100 mg/kg (OECD 401)	
LD50 dermal (rabbit)	≈ 15000 mg/kg (OECD 402)	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test	
LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test	
LC50 inhalation (rat) (mg/l)	> 5000 mg/l/4h	
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization,		

> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral

carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-

Toxicity)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerizat carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refidewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50  LD50 dermal (rabbit) > 4000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 Toxicity)  LC50 inhalation (rat) (mg/l) > 1.67 mg/l OECD 403 (1h)  Skin corrosion/irritation : Not classified  ethanediol; ethylene glycol (107-21-1)  pH 6 - 7.5  Serious eye damage/irritation : Not classified  ethanediol; ethylene glycol (107-21-1)	fined, solvent-	
LD50 dermal (rabbit)  > 4000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 Toxicity)  LC50 inhalation (rat) (mg/l)  > 1.67 mg/l OECD 403 (1h)  Skin corrosion/irritation  : Not classified  ethanediol; ethylene glycol (107-21-1)  pH  6 - 7.5  Serious eye damage/irritation  : Not classified	2 (Acute Dermal	
Toxicity)  LC50 inhalation (rat) (mg/l) > 1.67 mg/l OECD 403 (1h)  Skin corrosion/irritation : Not classified  ethanediol; ethylene glycol (107-21-1)  pH 6 – 7.5  Serious eye damage/irritation : Not classified	2 (Acute Dermal	
Skin corrosion/irritation : Not classified  ethanediol; ethylene glycol (107-21-1)  pH 6 – 7.5  Serious eye damage/irritation : Not classified		
ethanediol; ethylene glycol (107-21-1)  pH		
pH 6 – 7.5  Serious eye damage/irritation : Not classified		
Serious eye damage/irritation : Not classified		
ethanediol; ethylene glycol (107-21-1)		
pH 6 – 7.5		
Respiratory or skin sensitisation : Not classified		
Germ cell mutagenicity : Not classified		
Carcinogenicity : Not classified		
ethanediol; ethylene glycol (107-21-1)		
NOAEL (chronic, oral, animal/male, 2 years)  1500 mg/kg bodyweight mouse, male		
Reproductive toxicity : May damage fertility. May damage the unborn child  STOT-single exposure : Not classified		
STOT-single exposure : Not classified STOT-repeated exposure : Not classified		
ethanediol; ethylene glycol (107-21-1)		
NOAEL (subchronic, oral, animal/male, 90 days)  150 mg/kg bodyweight		
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LOAEL (oral, rat, 90 days)  125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD G	Guideline 408	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, sol dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50		
NOAEL (oral, rat, 90 days)  200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD G (Combined Repeated Dose Toxicity Study with the Reproduction / Develor Screening Test)		
NOAEL (dermal, rat/rabbit, 90 days) ≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Re Dermal Toxicity: 21/28-Day Study)	epeated Dose	
Aspiration hazard : Not classified		
77510 - Marine Oil CO 570		
Viscosity, kinematic 237 mm²/s @ 40°C (ASTM D7042)		
ethanediol; ethylene glycol (107-21-1)		
Viscosity, kinematic 14.505 mm²/s		
Residual oils (petroleum), solvent-dewaxed (64742-62-7)		
Viscosity, kinematic 490 mm²/s @40°C		
Phenol, dodecyl-, branched (121158-58-5)		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Viscosity, kinematic ≈ 98 mm²/s @ 40°C		
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50		
Viscosity, kinematic 206820 mm²/s Temp.: '20°C' Parameter: 'cSt'		

## 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Component	
Phenol, dodecyl-, branched(121158-58-5)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)

#### 11.2.2. Other information

No additional information available

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

Not rapidly degradable

ethanediol; ethylene glycol (107-21-1)		
LC50 - Fish [1]	72860 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 96h - Algae [1]	3536 mg/l Test organisms (species): other:grenn algae	
NOEC chronic fish	15380 mg/l Pimephales promelas	
NOEC chronic crustacea	8590 mg/l Daphnia magna	
Threshold limit - Algae [1]	10000 mg/l 168 Hrs	
Threshold limit - Algae [2]	2000 mg/l 192 Hrs	
Phenol, dodecyl-, branched (121158-58-5)		
LC50 - Fish [1]	40 mg/l Pimephales promelas	
EC50 - Crustacea [1]	0.037 mg/l Daphnia magna	
EC50 72h - Algae [1]	0.36 mg/l Scenedesmus quadricauda	
NOEC (chronic)	0.0037 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic crustacea	0.0037 mg/l Daphnia magna (21d)	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitat	
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)	

# Safety Data Sheet

Bioconcentration factor (BCF REACH)

Partition coefficient n-octanol/water (Log Kow)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)	
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50		
LC50 - Fish [1]	> 1000 mg/l Pimephales promelas	
EC50 - Crustacea [1]	> 1000 mg/l Daphnia magna	
EC50 96h - Algae [1]	> 500 mg/l Pseudokirchneriella subcapitata	
12.2. Persistence and degradability		
ethanediol; ethylene glycol (107-21-1)		
Persistence and degradability	Readily biodegradable. easily degradable in the soil.	
Biochemical oxygen demand (BOD)	0.47 g O₂/g substance	
Chemical oxygen demand (COD)	1.24 g O₂/g substance	
ThOD	1.29 g O₂/g substance	
BOD (% of ThOD)	0.36 % ThOD	
Biodegradation	90 % (OECD 301A)	
Phenol, dodecyl-, branched (121158-58-5)		
Persistence and degradability Not readily biodegradable.		
Biodegradation	25 % OECD TG 301 B (28d)	
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)	
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % OECD TG 301 F (28d)	
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	13.4 % OECD 301B (28d)	
12.3. Bioaccumulative potential		
ethanediol; ethylene glycol (107-21-1)		
Bioconcentration factor (BCF REACH)	10	
Partition coefficient n-octanol/water (Log Pow)	-1.36	
Residual oils (petroleum), solvent-dewaxed (6	64742-62-7)	
Partition coefficient n-octanol/water (Log Pow)	> 3.5	
Phenol, dodecyl-, branched (121158-58-5)		

794.33 7.14

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Partition coefficient n-octanol/water (Log Pow) 3.9 – 6			
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50			
Bioconcentration factor (BCF REACH) 2.2			
Partition coefficient n-octanol/water (Log Pow) 9.5			

## 12.4. Mobility in soil

ethanediol; ethylene glycol (107-21-1)		
Surface tension 0.048 N/m @ 20°C		
Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50		
Mobility in soil 3615000000000 Source: EPISUITE		

## 12.5. Results of PBT and vPvB assessment

Component	
Phenol, dodecyl-, branched (121158-58-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Endocrine disrupting properties

Component	
Phenol, dodecyl-, branched(121158-58-5)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

**HP Code** 

Waste treatment methods European List of Waste (LoW, EC 2000/532)

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : 13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	cable Not applicable Not applicable Not applicab		Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### **Inland waterway transport**

Not applicable

#### Rail transport

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (EC 310-154-3, CAS 121158-58-5)

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Hazard statements (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard pictograms (CLP)	Added	
2.2	Signal word (CLP)	Added	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures general	Added	
6.1	Emergency procedures	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Modified	
7.1	Hygiene measures	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage conditions	Modified	
8.2	Respiratory protection	Modified	
12.1	Ecology - general	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acr	ronyms:
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H360	May damage fertility or the unborn child.
H360F	May damage fertility.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.