

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 14/12/2016 Revision date: 24/04/2023 Supersedes version of: 10/05/2022 Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product form	:	Mixture
Product name	:	79010 - Classic Oil SAE 30
Product code	:	79010

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

: Industrial use, Professional use, Consumer use

: Lubricants and additives

1.2.2. Uses advised against

#### No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

Transnational Blenders bv Wieldrechtseweg, 37 NL– 3316 BG Dordrecht – Netherlands Zuid Holland Netherlands T +31 (0)78 6527652 technical@tnb.nl - www.tnb.nl

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3 Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

....

. . . . . .

Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Signal word (CLP)	: -
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P103 - Read carefully and follow all instructions.
	P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.
	accordance with local, regional, national and/or international regulation.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.3. Other hazards

Other hazards which do not result in classification : Flammable liquids. Repeated dermal contact with material can lead to defatting of the skin.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to
			Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 90	Not classified
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	CAS-No.: 68442-22-8 EC-No.: 270-478-5	≥1-<3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts substance with national workplace exposure limit(s) (DE, SK)	CAS-No.: 85940-28-9 EC-No.: 288-917-4 REACH-no: 01-2119521201- 61	≥ 0.3 – < 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	≥ 0.1 – < 1	Not classified
Distillates (petroleum), solvent-refined heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 64741-88-4 EC-No.: 265-090-8 EC Index-No.: 649-454-00-7 REACH-no: 01-2119488706- 23	≥ 0.1 – < 1	Not classified
reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-1.0:0.1-1.1) substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, ES, GB, GR, HR, HU, IE, PL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	EC-No.: 430-380-7 EC Index-No.: 616-136-00-4 REACH-no: 01-0000017666- 61	< 0.3	Aquatic Chronic 2, H411

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts	CAS-No.: 68442-22-8 EC-No.: 270-478-5	(5 ≤ C < 100) Skin Irrit. 2, H315 (5 ≤ C ≤ 10.01) Eye Irrit. 2, H319 (10.01 ≤ C < 100) Eye Dam. 1, H318
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	CAS-No.: 85940-28-9 EC-No.: 288-917-4 REACH-no: 01-2119521201- 61	(15 ≤ C < 100) Skin Irrit. 2, H315 (15 ≤ C < 20) Eye Irrit. 2, H319 (20 ≤ C < 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> <li>After adequate first aid, no further treatment is required unless symptoms reappear.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Sand. Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a water jet since it may cause the fire to spread.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions Protection during firefighting	<ul> <li>Exercise caution when fighting any chemical fire.</li> <li>Use water spray or fog for cooling exposed containers.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protect	tive equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.	
Methods for cleaning up	: Take up liquid spill into absorbent material.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Ensure good ventilation of the work station. Wear personal protective equipment.
Handling temperature	: ≤40 °C
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Provide local exhaust or general room ventilation.
Storage conditions	: Store in a well-ventilated place. Keep cool.
Storage temperature	: ≤ 40 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Keep only in original container. Store in a closed container.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological	limit values	
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
IOEL STEL	10 mg/m³	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m <sup>3</sup>	
reaction product of cocoalkyldiethanolamides 1.0:0.1-1.1)	and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-	
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	10 mg/m <sup>3</sup>	
IOEL STEL	20 mg/m <sup>3</sup>	
United Kingdom - Occupational Exposure Limits		
Local name	Molybdenum compounds (as Mo) insoluble compounds	
WEL TWA (OEL TWA) [1]	10 mg/m³	
WEL STEL (OEL STEL)	20 mg/m³	
Regulatory reference	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)	
Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	
IOEL STEL	10 mg/m³	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m³	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Use adequate ventilation to keep oil mist below applicable standard. Use splash goggles when eye contact due to splashing is possible. Ocular shower with suitable liquid. Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.1. Eye and face protection

#### Eye protection:

#### Safety glasses

Eye protection				
Type         Field of application         Characteristics         Standard				
Safety glasses	Droplet	clear	EN 166	

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.35		EN ISO 374

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -24 °C (ASTM D7346)
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 201 °C ASTM D92
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 94 mm²/s @ 40°C (ASTM D7042)
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 889 kg/m³ @ 15°C (ASTM D4052)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 9.2. Other information

- 9.2.1. Information with regard to physical hazard classes
- No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined	I in Regulation (EC) No 1272/2008		
Acute toxicity (dermal)	Not classified Not classified Not classified		
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)		
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test		
LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test		
LC50 inhalation (rat) (mg/l)	> 5000 mg/l/4h		
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test		
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test		
LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test		
LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)			
LD50 oral (rat)	3080 mg/kg OECD Guideline 401		
LD50 dermal (rabbit)	> 20000 mg/kg OECD Guideline 402		
LC50 inhalation (rat) (Vapours - mg/l/4h)	> 2.3 mg/l/4h OECD Guideline 403		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

reaction product of cocoalkyldiethanolamide 1.0:0.1-1.1)	es and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-		
LD50 oral (rat)	> 5000 mg/kg Source: ECHA		
LD50 dermal (rabbit)	> 2000 mg/kg Source: ECHA		
Distillates (petroleum), solvent-refined heavy	y paraffinic (64741-88-4)		
LD50 oral (rat)	> 5000 mg/kg		
LD50 dermal (rabbit)	> 2000 mg/kg		
LC50 inhalation (rat) (mg/l)	> 5000 mg/m <sup>3</sup>		
LC50 inhalation (rat) (Vapours - mg/l/4h)	5.53 mg/l/4h		
Phosphorodithioic acid, mixed O,O-bis(2-eth	ylhexyl and iso-Bu) esters, zinc salts (68442-22-8)		
LD50 oral (rat)	> 2000 mg/kg		
LD50 dermal (rat)	2002 mg/kg		
Skin corrosion/irritation	Not classified		
reaction product of cocoalkyldiethanolamide 1.0:0.1-1.1)	es and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-		
рН	3.5 Source: ECHA		
Serious eye damage/irritation	Not classified		
reaction product of cocoalkyldiethanolamide 1.0:0.1-1.1)	es and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-		
рН	3.5 Source: ECHA		
Respiratory or skin sensitisation	Not classified		
Germ cell mutagenicity Carcinogenicity	Not classified		
Reproductive toxicity	Not classified		
STOT-single exposure	Not classified		
STOT-repeated exposure	Not classified		
Distillates (petroleum), hydrotreated heavy p	paraffinic (64742-54-7)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408		
Distillates (petroleum), solvent-dewaxed hea	vy paraffinic (64742-65-0)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight		
Phosphorodithioic acid, mixed O,O-bis(2-eth	ylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)		
NOAEL (subacute, oral, animal/female, 28 days)	125 mg/kg bodyweight 407 Repeated Dose 28-day Oral Toxicity Study in Rodents		
reaction product of cocoalkyldiethanolamide 1.0:0.1-1.1)	es and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-		
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)), Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)		
NOAEL (subacute, oral, animal/male, 28 days)	150 mg/kg bodyweight		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)			
NOAEL (oral, rat, 90 days)	160 mg/kg bodyweight/day		
Aspiration hazard	Not classified		
79010 - Classic Oil SAE 30			
Viscosity, kinematic	94 mm²/s @ 40°C (ASTM D7042)		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Viscosity, kinematic	≈ 98 mm²/s @ 40°C	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		
Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C		
Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)		
Viscosity, kinematic 28.51 mm <sup>2</sup> /s @40°C		
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information			
12.1. Toxicity			
Hazardous to the aquatic environment, short-term : (acute)	Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.		
Distillates (petroleum), hydrotreated heavy pa	rraffinic (64742-54-7)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitat		
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)		
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)		
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas		
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna		
NOEC chronic fish	> 1000 mg/l Oncorhynchus mykiss (14d)		
NOEC chronic crustacea	> 10 mg/l Daphnia magna (21d)		
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata (72h)		
Phosphorodithioic acid, mixed 0,0-bis(2-ethy	/lhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)		
LC50 - Fish [1]	4.5 mg/l Oncorhynchus mykiss		
EC50 - Crustacea [1]	> 5.4 mg/l Daphnia magna		
EC50 96h - Algae [1]	> 2.1 mg/l Selenastrum capricornutum		
NOEC chronic crustacea	0.4 mg/l Daphnia magna (21d)		
NOEC chronic algae	1 mg/l Selenastrum capricornutum (96h)		
reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75- 1.0:0.1-1.1)			
LC50 - Fish [1]	> 10 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	1.5 mg/l Test organisms (species): Daphnia magna		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EC50 72h - Algae [1]	1.5 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	1.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.47 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic crustacea	0.47 mg/l Daphnia magna (21d)
NOEC chronic algae	0.625 mg/l Desmodesmus subspicatus (72h)
Distillates (petroleum), solvent-ref	ined heavy paraffinic (64741-88-4)
LC50 - Fish [1]	> 100 mg/l Pimephales promelas
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)
Phosphorodithioic acid, mixed O,	O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)
LC50 - Fish [1]	46 mg/l
EC50 - Crustacea [1]	23 mg/l
EC50 72h - Algae [1]	21 mg/l
NOEC chronic fish	1.8 mg/l (4d)
NOEC chronic crustacea	400 μg/L (21d)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
Persistence and degradability	Not readily biodegradable.		
Biodegradation	31 % OECD TG 301 F (28d)		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
Biodegradation	31 % OECD 301F (28d)		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)			
Persistence and degradability	Not readily biodegradable.		
Biodegradation	1.5 % OECD 301B (28d)		
reaction product of cocoalkyldiethanolamides and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75- 1.0:0.1-1.1)			
Biodegradation	57 – 98 % 28d		
Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)			
Persistence and degradability	Not readily biodegradable.		
Biodegradation	31 % OECD 301F (28d)		
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu) esters, zinc salts (68442-22-8)			
Biodegradation	100 %		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential				
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)				
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6			
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)			
Bioconcentration factor (BCF REACH)	260			
Phosphorodithioic acid, mixed 0,0-bis(2-ethy	lhexyl and iso-Bu and iso-Pr) esters, zinc salts (85940-28-9)			
Partition coefficient n-octanol/water (Log Pow)	8.87 @ 20°C			
reaction product of cocoalkyldiethanolamides 1.0:0.1-1.1)	and cocoalkylmonoglycerides and molybdenumtrioxide (1.75-2.2: 0.75-			
Bioconcentration factor (BCF REACH)	< 84			
Partition coefficient n-octanol/water (Log Pow)	0.3 – 6.5 Source: ECHA			
Distillates (petroleum), solvent-refined heavy paraffinic (64741-88-4)				
Partition coefficient n-octanol/water (Log Pow)	3.9 – 6			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
No additional information available				
12.6. Endocrine disrupting properties				
No additional information available				
12.7. Other adverse effects				
No additional information available				
SECTION 13: Disposal considerations				

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID					
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				
14.6. Special precautions for user				

#### **Overland transport** Not applicable

Transport by sea Not applicable

### Air transport

Not applicable

#### Inland waterway transport Not applicable

## **Rail transport**

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 16: Other information** Indication of changes **Changed item** Section Change Comments Flammability (solid, gas) Added Revision date Modified Supersedes Modified 2.1 Adverse physicochemical, human health and Modified environmental effects 2.1 Modified Classification according to Regulation (EC) No. 1272/2008 [CLP] 2.2 Modified Hazard statements (CLP) 2.2 Modified Precautionary statements (CLP) 4.1 First-aid measures after skin contact Modified 4.1 First-aid measures after inhalation Modified 4.1 First-aid measures after ingestion Modified 4.1 First-aid measures after eye contact Modified 4.2 Symptoms/effects Modified Added 6.3 Methods for cleaning up 6.4 Reference to other sections (8, 13) Added 7.1 Precautions for safe handling Added 7.2 Storage conditions Modified 8.2 Eye protection Added 8.2 Hand protection Added 8.2 Respiratory protection Added Added 82 Appropriate engineering controls Modified 9.1 Density 9.1 Modified Flash point 9.1 Freezing point Modified 9.1 Viscosity, kinematic Modified Added 10.2 Chemical stability Added 10.3 Possibility of hazardous reactions 10.4 Conditions to avoid Added Added 10.6 Hazardous decomposition products Modified 12.1 Ecology - general

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.