

Product form

Product name Product code

79210 - Engine Oil Special Synthetic UHPD 5W-30

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 01/02/2021 Revision date: 15/01/2024 Supersedes version of: 06/04/2023 Version: 1.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

: Mixture

: 79210 - Engine Oil Special Synthetic UHPD 5W-30

: 79210

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Function or use category

: Lubricants and additives

: Industrial use, Professional use, Consumer use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Transnational Blenders bv Wieldrechtseweg, 37 NL– 3316 BG Dordrecht – Netherlands Zuid Holland Netherlands T +31 (0)78 6527652 technical@tnb.nl - www.tnb.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]				
EUH-statements	: EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction. EUH210 - Safety data sheet available on request.			
2.3. Other hazards				
Other hazards which do not result in classification	: Flammable liquids. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis. Spills of this product present a serious slipping hazard.			

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 55 – < 75	Not classified
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil substance with a Community workplace exposure limit	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	≥ 5 – < 15	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878- 16	≥ 3 – < 10	Asp. Tox. 1, H304
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert- butyl-4-hydroxyphenyl)propionate	CAS-No.: 125643-61-0 EC-No.: 406-040-9 EC Index-No.: 607-530-00-7 REACH-no: 01-0000015551- 76	≥1-<5	Aquatic Chronic 4, H413
Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	≥ 0.1 – < 3	Not classified
Distillates (petroleum), solvent-dewaxed light paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132- 48	≥ 0.1 – < 3	Asp. Tox. 1, H304
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil	CAS-No.: 64742-70-7 EC-No.: 265-174-4 EC Index-No.: 649-477-00-2 REACH-no: 01-2119487080- 42	≥ 0.1 – < 3	Asp. Tox. 1, H304

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	≥ 0.3 – < 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
C14-16-18 Alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	< 0.3	Skin Sens. 1B, H317 STOT RE 2, H373

Specific concentration limits:			
Name	Product identifier	Specific concentration limits (%)	
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	(6.25 ≤ C < 100) Skin Irrit. 2, H315 (10 ≤ C < 12.5) Eye Irrit. 2, H319 (12.5 ≤ C < 100) Eye Dam. 1, H318	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell. 		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 After adequate first aid, no further treatment is required unless symptoms reappear. After adequate first aid, no further treatment is required unless symptoms reappear. After adequate first aid, no further treatment is required unless symptoms reappear. After adequate first aid, no further treatment is required unless symptoms reappear. After adequate first aid, no further treatment is required unless symptoms reappear. After adequate first aid, no further treatment is required unless symptoms reappear. After adequate first aid, no further treatment is required unless symptoms reappear. 		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a water jet since it may cause the fire to spread.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Precautionary measures fire Firefighting instructions Protection during firefighting	 Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Avoid spilling the product, as this might cause falls.		
6.1.1. For non-emergency personnel			
Protective equipment Emergency procedures	Wear recommended personal protective equipment.Ventilate spillage area.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. Wear suitable protective clothing, gloves and eye/face protection. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
For containment Methods for cleaning up	 Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Take up liquid spill into absorbent material. 		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes.
Handling temperature	: ≤ 40 °C
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures Storage conditions Storage temperature Storage area Special rules on packaging	 Provide local exhaust or general room ventilation. Store in a well-ventilated place. Keep cool. ≤ 40 °C Store in a well-ventilated place. Store away from heat. Keep only in original container. Store in a closed container.
Special fules of packagilly	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	5 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	5 mg/m³		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	5 mg/m³		
IOEL STEL	10 mg/m³		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	5 mg/m³		
WEL STEL (OEL STEL)	10 mg/m³		
Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)		
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	5 mg/m³ ACGIH TLV (inhalable fraction)		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	5 mg/m³		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	5 mg/m³		
IOEL STEL	10 mg/m³		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing. Personal protective equipment symbol(s):



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection				
Type Field of application Characteristics Standard				
Safety glasses	Droplet	clear	EN 166	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	≥ 0.35		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light brown.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: -42 °C (ASTM D7346)
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 201 °C (ASTM D92)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 68 mm²/s @ 40°C (ASTM D7042)
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 855 kg/m ³ @ 15°C (ASTM D4052)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (oral): Not classifiedAcute toxicity (dermal): Not classifiedAcute toxicity (inhalation): Not classified				
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)			
LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test			
LD50 dermal (rabbit)	> 2000 mg/kg 402 Acute Dermal Toxicity Test			
LC50 inhalation (rat) (mg/l)	> 5000 mg/l/4h			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test			
reaction mass of isomers of: C7-9-alkyl 3-(3,5-	-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)			
LD50 oral (rat)	> 2000 mg/kg OECD Test Guideline 401			
LD50 dermal (rat)	> 2000 mg/kg OECD Test Guideline 402			
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)				
LD50 oral (rat)	2600 mg/kg bw/day Tested according to Annex V of Directive 67/548/EEC			
LD50 dermal (rabbit)	> 3160 mg/kg bodyweight OECD Test Guideline 402			
LC50 inhalation (rat) (mg/l)	> 2 mg/l (1h) - OECD403			
C14-16-18 Alkyl phenol				
LD50 oral (rat)	> 2000 mg/kg bodyweight			

Safety Data Sheet

LD80 dermal (rat) > 2000 mg/kg Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD80 dermal (rabbit) > 5000 mg/kg d02 Acute Dermal Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg d02 Acute Dermal Toxicity Test Distillates (petroleum), solvent-dewaxed light paraffinic (64742-65-9) LD50 dermal (rat) > 5000 mg/kg bodyweight LD50 dermal (rat) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l4h) > 218 mg/l4h Paraffin oil (petroleum), catalytic dewaxed heavy: Baseol (64742-70-7) LD50 dermal (rabbit) > 2000 mg/kg LD50 dermal (rat) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (mg/l) \$ 5.53 mg/l4h 403 Acute Inhalation Toxicity LC50 inhalation (C14-16-18 Alkyl phenol			
LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 demal (rabbit) > 5000 mg/kg 402 Acute Inhalation Toxicity Test LD50 inhalation (rat) (Vapours - mg/V4h) > 550 mg/kh 403 Acute Inhalation Toxicity Test Distillates (potroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 drail (rat) > 5000 mg/kg dodyweight LD50 drail (rat) > 5000 mg/kg LD50 drail (rat) > 5000 mg/kg LD50 drail (rat) > 218 mg/4h Paraffin oils (petroleum), catalytic dowaxed barry; Bassoil (64742-70-7) LD50 drail (rat) > 2000 mg/kg LD50 drail (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 drail (rat) > 5000 mg/kg 402 Acute Inhalation Toxicity Test LD50 demail (rabbit) > 5000 mg/kg 402 Acute Inhalation Toxicity Test LD50 demail (rabbit) > 5000 mg/kg 402 Acute Inhalation Toxicity Test LD50 demail (rabbit) > 5000 mg/kg LD50 demail (rabbit) > 5000 mg/kg LD50 demail (rabbit) > 5000	LD50 dermal (rat)	> 2000 mg/kg		
LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Vapours - mg/l/4h) > 5.53 mg/l/4h 403 Acute inhalation Toxicity Test Distiliates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) LD50 demal (rat) > 5000 mg/kg bodyweight LD50 demal (rat) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 2.18 mg/l/4h Paraffin olis (petroleum), catalytic dewaxed heavy; Bascoll (64742-70-7) LD50 oral (rat) LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Lubricating oils (petroleum), C15-30, hydrotroated neutral oil-based (72623-86-0) LD50 dermal (rabbit) > 5000 mg/kg dod/acute Dermal Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg dod/acute Dermal Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg dod/acute Inhalation Toxicity LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg dod/acute Inhalation Toxicity Test LD50 dermal (rabbit) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test LD50 dermal (rabbit) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test LD50 dermal (rabbit) > 5.53 mg/l/4h 403 Acute Inhala	Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)			
LC50 inhalation (rat) (Vapours - mg/V4h) > 5.53 mg/V4h 403 Acute Inhalation Toxicity Test Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) > LD50 oral (rat) > 5000 mg/kg bodyweight LD50 demail (rat) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/V4h) > 2.18 mg/V4h Paraffin olis (petroleum), catalytic dewaxed heavy; Bascoli (64742-70-7) > LD50 darmal (rab) > 5000 mg/kg LC50 inhalation (rat) (Dust/Mds1 - mg/V4h) 5 mg/V4h LD50 darmal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mds1 - mg/V4h) 5 mg/V4h LD50 darmal (rabbit) > 5000 mg/kg bodyweight 401 Acute Orni Toxicity Test LD50 darmal (rabbit) > 5000 mg/kg dod Acute Inhalation Toxicity Test LD50 darmal (rabbit) > 533 mg/V4h 403 Acute Inhalation Toxicity Test LD50 darmal (rabbit) > 533 mg/V4h 403 Acute Inhalation Toxicity Test LD50 darmal (rabbit) > 5000 mg/kg LD50 darmal (rabb	LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test		
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg bodyweight LD50 dermal (rat) > 5000 mg/kg LC50 inhelation (rat) (Vapours - mg//4h) > 2.18 mg//4h Paraffini olis (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7) LD50 oral (rat) LD50 dral (rat) > 5000 mg/kg LD50 dral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dral (rat) > 5000 mg/kg 020 Acute Inhalation Toxicity LC50 inhalation (rat) (mg/l) 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test LD50 darral (rabbi) > 5000 mg/kg LD50 darral (rabbi) > 5000	LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test		
LDS0 oral (rat) > 5000 mg/kg bodyweight LDS0 oral (rat) > 5000 mg/kg LCS0 inhalation (rat) (Vapours - mg/l4h) > 2.18 mg/l4h Paraffin olls (petroleum), catalytic dewaxed heavy: Baseoll (64742-70-7) Edso dermal (rabbil) LDS0 darmal (rat) > 5000 mg/kg LDS0 darmal (rabbil) > 2000 mg/kg LDS0 darmal (rabbil) > 2000 mg/kg LDS0 traination (rat) (Dust/Mist - mg/l4h) 5 mg/l4h LDS0 darmal (rabbil) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LDS0 darmal (rabbil) > 5000 mg/kg d02 Acute Dermal Toxicity Test LDS0 inhalation (rat) (Dust/Mist - mg/l4h) > 5.53 mg/l4h 403 Acute Inhalation Toxicity Test LDS0 darmal (rabbil) > 5000 mg/kg d02 Acute Dermal Toxicity Test LDS0 darmal (rabbil) > 5.53 mg/l4h 403 Acute Inhalation Toxicity Test LDS0 darmal (rabbil) > 5000 mg/kg LDS0 darenal (rabbil) > 5000 mg/kg <td>LC50 inhalation (rat) (Vapours - mg/l/4h)</td> <td>> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test</td>	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test		
LD50 demai (rat) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l4h) > 2.18 mg/l4h Paraffin oils (petroleum), catalytic dewaxed heavy; Bascoil (64742-70-7) LD50 demai (rat) > 5000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Lubricating oils (petroleum), C15-30, hydrotr-teed neutral oil-based (72623-86-0) LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 demai (rabbit) > 5000 mg/kg d02 Acute Demail Toxicity Test LD50 demai (rabbit) > 5000 mg/kg d03 Acute Inhalation Toxicity Test LD50 demai (rabbit) > 5000 mg/kg d03 Acute Inhalation Toxicity Test LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 2000 mg/kg LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 5000 mg/kg LD50 oral (rat)	Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)		
LC50 inhalation (rat) (Vapours - mg/l4h) > 2.18 mg/l4h Paraffin oils (petroleum), catalytic dewaxed beavy; Baseoil (64742-70-7) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l4h) 5 mg/l4h Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) 1000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test 1000 mg/kg bodyweight 401 Acute Oral Toxicity Test LC50 inhalation (rat) (mg/l) 5.53 mg/l 403 Acute Inhalation Toxicity Test 1000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l4h 403 Acute Inhalation Toxicity Test LD50 oral (rat) > 5000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l4h 403 Acute Inhalation Toxicity Test LD50 oral (rat) > 5000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l4h Stio corosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not cla	LD50 oral (rat)	> 5000 mg/kg bodyweight		
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbil) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/i/4h) 5 mg/i/4h Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LD50 oral (rat) LD50 dermal (rabbil) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbil) > 5000 mg/kg 402 Acute Inhalation Toxicity Test LC50 inhalation (rat) (mg/l) 5.53 mg/i/4h 403 Acute Inhalation Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/i/4h) > 5.53 mg/i/4h 403 Acute Inhalation Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/i/4h) > 5.53 mg/i/4h 403 Acute Inhalation Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/i/4h) > 5.53 mg/i/4h 403 Acute Inhalation Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/i/4h) > 5.53 mg/i/4h Skin corrosion/intriation Not classified Respiratory or kin sensitisation Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Carcinogenicity Not classified STOT-repeated exposure Not classified Distillate	LD50 dermal (rat)	> 5000 mg/kg		
LD50 oral (rat) > 6000 mg/kg LD50 dermal (rabbil) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Lubricating oils (petroleum), C15-30, hydrotreted neutral oil-based (72623-86-0) LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbil) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 dermal (rabbil) > 5000 mg/kg 403 Acute Inhalation Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l 403 Acute Inhalation Toxicity Test LD50 oral (rat) > 5000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 6.53 mg/l/4h Skin corrosion/iritation : Not classified Germ cell mutagenicity : Not classified Stort-respeated exposure : Not classified Stort-respeated exposure : Not classified Stort-respeated exposure : Not classi	LC50 inhalation (rat) (Vapours - mg/l/4h)	> 2.18 mg/l/4h		
LD50 dermal (rabbit) > 2000 mg/kg LC50 Inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Lubricating oils (petroleum), C15-30, hydrotre=ted neutral oil-based (72623-86-0) LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg d02 Acute Dermal Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Inhalation Toxicity Test LC50 Inhalation (rat) (mg/l) 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test LUbricating oils (petroleum), C20-50, hydrotre=ted neutral oil (72623-87-1) LD50 dermal (rabbit) > 5000 mg/kg LD50 dermal (rabbit) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/irritation : Not classified Respiratory or skin sensitisation : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)<	Paraffin oils (petroleum), catalytic dewaxed h	eavy; Baseoil (64742-70-7)		
LC50 Inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 Inhalation (rat) (mg/l) 5.53 mg/l 403 Acute Inhalation Toxicity LC50 Inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity LC50 Inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity LC50 Inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity LC50 Inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/irritation : Not classified Respiratory or skin sensitisation : Not classified Respiratory or skin sensitisation : Not classified Carcinogenicity : Not classified StOT-sring exposure : Not classified StoTor-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy partifici (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Al	LD50 oral (rat)	> 5000 mg/kg		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (mg/l) 5.53 mg/l 403 Acute Inhalation Toxicity LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l 403 Acute Inhalation Toxicity Test Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LD50 dermal (rabbit) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified STOT-srige exposure Not classified STOT-srige exposure Not classified Zinc bis{Or-(6-methylheptyl]) bis {O(sec-butyl]} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 Zinc bis{O-(6-methylheptyl]) bis {O(sec-butyl]} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) <	LD50 dermal (rabbit)	> 2000 mg/kg		
LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (mg/l) 5.53 mg/l 403 Acute Inhalation Toxicity LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l 403 Acute Inhalation Toxicity Test Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) L050 oral (rat) LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 513 mg/l/4h Shin corrosion/irritation Not classified Respiratory or skin sensitisation Not classified Respiratory or skin sensitisation Not classified STOT-	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	5 mg/l/4h		
LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (mg/l) 5.53 mg/l 403 Acute Inhalation Toxicity LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l 403 Acute Inhalation Toxicity Test Lubricating oils (petroleum), C20-50, hydrotr=ted neutral oil (72623-87-1) LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 5000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified StOT-repeated exposure : Not classified Stinc bis{O-(6-methyllheptyl)} bis (O(sec-butyl)) bis (thiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol	Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)		
LC50 inhalation (rat) (mg/l) 5.53 mg/l 403 Acute Inhalation Toxicity LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l 4 03 Acute Inhalation Toxicity Test Lubricating oils (petroleum), C20-50, hydrotre=ted neutral oil (72623-87-1) LD50 oral (rat) > 5000 mg/kg LD50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/Irittation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Storor-spone : Not classified Storo-spone : Not classified Carcinogenicity : Not classified Storo-repeated exposure : Not classified Storo-repeated exposure : Not classified Storo-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction	LD50 oral (rat)	> 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test		
LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/Irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified StOT-srige exposure : Not classified STOT-srige exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol StOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. <td>LD50 dermal (rabbit)</td> <td>> 5000 mg/kg 402 Acute Dermal Toxicity Test</td>	LD50 dermal (rabbit)	> 5000 mg/kg 402 Acute Dermal Toxicity Test		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified StoT -single exposure : Not classified STOT-single exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Stote organs (liver) through prolonged or	LC50 inhalation (rat) (mg/l)	5.53 mg/l 403 Acute Inhalation Toxicity		
LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Geem cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyll) bis {O(sec-butyll)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Store specifies (1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined R	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test		
LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol StOT-repeated exposure StOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Store and the second conditions of the second conditions (liver) through prolonged or repeated exposure.	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)			
LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) May cause damage to organs (liver) through prolonged or repeated exposure.	LD50 oral (rat)	> 5000 mg/kg		
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	LD50 dermal (rabbit)	> 2000 mg/kg		
Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Interpeated exposure	LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h		
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Paraffinic (64742-65-0)				
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	0, 1			
STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	STOT-single exposure :	Not classified		
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	STOT-repeated exposure :	Not classified		
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)		
NOAEL (oral, rat, 90 days) 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408		
Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) C14-16-18 Alkyl phenol STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)			
STOT-repeated exposure May cause damage to organs (liver) through prolonged or repeated exposure. Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)		160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated		
	NOAEL (oral, rat, 90 days)	160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated		
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight	NOAEL (oral, rat, 90 days) C14-16-18 Alkyl phenol	160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)		
	NOAEL (oral, rat, 90 days) C14-16-18 Alkyl phenol STOT-repeated exposure	160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) May cause damage to organs (liver) through prolonged or repeated exposure.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)			
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)		
Lubricating oils (petroleum), C15-30, hydrotre	ated neutral oil-based (72623-86-0)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight		
Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil (72623-87-1)		
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day		
Aspiration hazard :	Not classified		
79210 - Engine Oil Special Synthetic UHPD 5V	V-30		
Viscosity, kinematic	68 mm²/s @ 40°C (ASTM D7042)		
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)		
Viscosity, kinematic	≈ 98 mm²/s @ 40°C		
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)		
Viscosity, kinematic	3050 mm²/s @40°C		
C14-16-18 Alkyl phenol			
Viscosity, kinematic	52 mm²/s @40°C		
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)		
Viscosity, kinematic	150 (1.99 – 847) mm²/s @40°C		
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)			
Viscosity, kinematic	1.99 – 847 mm²/s Temp.: '40°C		
Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7)			
Viscosity, kinematic	19 mm²/s @40°C		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)			
Viscosity, kinematic	2978 mm²/s 40°C		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)			
Viscosity, kinematic 47 mm ² /s			
11.2. Information on other hazards			

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic environment, long–term (chronic)	: Not classified	
Not rapidly degradable		
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 - Fish [1]	> 100 mg/l Pimephales promelas	

Safety Data Sheet

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)				
EC50 - Crustacea [1] > 10000 mg/l Daphnia magna				
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitat			
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)			
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)			
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)			
reaction mass of isomers of: C7-9-alkyl 3-(3,5	-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)			
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna			
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)			
LC50 - Fish [1]	4.5 mg/l Oncorhynchus mykiss (Rainbow trout)			
EC50 - Crustacea [1]	5.4 mg/l Daphnia magna (water flea) OECD Test Guideline 202			
EC50 96h - Algae [1]	2.1 mg/l Selenastrum capricornutum (green algae) OECD Test Guideline 201			
C14-16-18 Alkyl phenol				
LC50 - Fish [1]	> 100 mg/l Cyprinus carpio			
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna			
EC50 72h - Algae [1]	> 100 mg/l Selenastrum capricornutum			
NOEC chronic algae	100 mg/l Selenastrum capricornutum (72h)			
Distillates (petroleum), solvent-dewaxed heav	y paraffinic (64742-65-0)			
LC50 - Fish [1]	> 100 mg/l Pimephales promelas			
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna			
NOEC chronic fish	> 1000 mg/l Oncorhynchus mykiss (14d)			
NOEC chronic crustacea	> 10 mg/l Daphnia magna (21d)			
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata (72h)			
Distillates (petroleum), solvent-dewaxed light	Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)			
LC50 - Fish [1]	> 100 mg/l Pimephales promelas			
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna			
NOEC chronic fish	≥ 1000 mg/l Oncorhynchus mykiss			
NOEC chronic crustacea	10 mg/l Daphnia magna			
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata			
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)				
LC50 - Fish [1]	> 100 mg/l Pimephales promelas			
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna			
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)			
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)			
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata (72h)			
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
LC50 - Fish [1]	> 100 mg/l Pimephales promelas			
EC50 - Crustacea [1]	> 10000 Daphnia magna			
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss (14d)			

Safety Data Sheet

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1)				
NOEC chronic crustacea	10 mg/l Daphnia magna (21d)			
NOEC chronic algae	100 mg/l Pseudokirchneriella subcapitata (72h)			
12.2. Persistence and degradability				
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)			
Persistence and degradability	Not readily biodegradable.			
Biodegradation	31 % OECD TG 301 F (28d)			
reaction mass of isomers of: C7-9-alkyl 3-(3,5	-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)			
Persistence and degradability	Not biodegradable.			
Biodegradation	2 – 4 % OECD 301B			
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)			
Persistence and degradability	Not readily biodegradable.			
Biodegradation	1.5 % OECD 301 B (28d)			
C14-16-18 Alkyl phenol				
Biodegradation	6 % OECD TG 301 B (28d)			
Distillates (petroleum), solvent-dewaxed heav	/y paraffinic (64742-65-0)			
Biodegradation	31 % OECD 301F (28d)			
Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)			
Persistence and degradability	Not readily biodegradable.			
Biodegradation	31 % OECD 301F			
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)				
Persistence and degradability	Not readily biodegradable.			
Biodegradation	31 % 28 d OECD 301F			
Lubricating oils (petroleum), C20-50, hydrotre	eated neutral oil (72623-87-1)			
Biodegradation	31 %			
12.3. Bioaccumulative potential				
Distillates (petroleum), hydrotreated heavy pa	araffinic (64742-54-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 - 6			
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)				
Bioconcentration factor (BCF REACH)	260 Oncorhynchus mykiss (Rainbow trout)			
Partition coefficient n-octanol/water (Log Pow)	9.2			
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4)				
Partition coefficient n-octanol/water (Log Pow)	0.9 @ 23°C			
C14-16-18 Alkyl phenol				
Partition coefficient n-octanol/water (Log Kow)	> 7.2			
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)				
Bioconcentration factor (BCF REACH)	260			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil			
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)			
Ecology - soil	Adsorbs into the soil.		
Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)	} bis dithiophosphate) (93819-94-4)		
Ecology - soil	Adsorbs into the soil.		
Distillates (petroleum), solvent-dewaxed light	paraffinic (64742-56-9)		
Ecology - soil	Adsorbs into the soil.		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)			
Ecology - soil	Adsorbs into the soil.		
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods European List of Waste (LoW, EC 2000/532)	 Dispose of contents/container in accordance with licensed collector's sorting instructions. 13 02 06* - synthetic engine, gear and lubricating oils 		

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID					
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID n	umber				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shippin	g name	,			
Not applicable	able Not applicable Not applicable Not applicable Not applicable				
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

14.6. Special precautions for user

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea Not applicable

Air transport Not applicable

Inland waterway transport Not applicable

Rail transport Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes				
Section Changed item Change Comments				
	Revision date	Modified		
	Supersedes	Modified		
9.1	Colour	Modified		

Safety Data Sheet

Indication of changes					
Section	Changed item	Change	Comments		
10.5	Incompatible materials	Added			
Abbreviations and acronyms:					
ADN		European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR		European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate				
BCF	Bioconcentration factor				
BLV		Biological limit value			
BOD		Biochemical oxygen demand (BOD)			
COD	Chemical oxygen demand (COD)	Chemical oxygen demand (COD)			
DMEL	Derived Minimal Effect level				
DNEL	Derived-No Effect Level	Derived-No Effect Level			
EC-No.	European Community number	European Community number			
EC50	Median effective concentration	Median effective concentration			
EN	European Standard	European Standard			
IARC	International Agency for Research on Ca	International Agency for Research on Cancer			
ΙΑΤΑ	International Air Transport Association	International Air Transport Association			
IMDG	International Maritime Dangerous Goods	International Maritime Dangerous Goods			
LC50	Median lethal concentration	Median lethal concentration			
LD50	Median lethal dose	Median lethal dose			
LOAEL	Lowest Observed Adverse Effect Level	Lowest Observed Adverse Effect Level			
NOAEC	No-Observed Adverse Effect Concentra	No-Observed Adverse Effect Concentration			
NOAEL	No-Observed Adverse Effect Level	No-Observed Adverse Effect Level			
NOEC	No-Observed Effect Concentration	No-Observed Effect Concentration			
OECD	Organisation for Economic Co-operation	Organisation for Economic Co-operation and Development			
OEL	Occupational Exposure Limit				
PBT	Persistent Bioaccumulative Toxic				
PNEC	Predicted No-Effect Concentration				
RID	Regulations concerning the Internationa	Regulations concerning the International Carriage of Dangerous Goods by Rail			
SDS	Safety Data Sheet				
STP	Sewage treatment plant				
ThOD	Theoretical oxygen demand (ThOD)				
TLM	Median Tolerance Limit				
VOC	Volatile Organic Compounds				
CAS-No.	Chemical Abstract Service number				
N.O.S.	Not Otherwise Specified				
vPvB	Very Persistent and Very Bioaccumulative				
ED	Endocrine disrupting properties	ve			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4		
Asp. Tox. 1	Aspiration hazard, Category 1		
EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.		
EUH210	Safety data sheet available on request.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H411	Toxic to aquatic life with long lasting effects.		
H413	May cause long lasting harmful effects to aquatic life.		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.