

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 20/02/2018 Revision date: 18/08/2025 Supersedes version of: 30/05/2024 Version: 8.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 77510 - Marine Oil CO 570

Product code : 77510

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use Function or use category : Lubricants and additives

1.3. Details of the supplier of the safety data sheet

Transnational Blenders bv
Wieldrechtseweg 37
NL 3316 BG Dordrecht, Netherlands, Zuid Holland
Netherlands
T +31 (0)78 6527652
technical@tnb.nl, www.tnb.nl

1.4. Emergency telephone number

| Country/Area | Organisation/Company | Address | Emergency number | Comment |
|--------------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Component | |
|---|--|
| Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII | Phenol, dodecyl-, branched (121158-58-5) |
| Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII | Phenol, dodecyl-, branched (121158-58-5) |

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

| Component | | |
|---|--|--|
| Substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 | Phenol, dodecyl-, branched (121158-58-5) | |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit (Note L) | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25 | ≥ 45 – < 55 | Asp. Tox. 1, H304 |
| Residual oils (petroleum), solvent-dewaxed substance with national workplace exposure limit(s) (NL) (Note L) | CAS-No.: 64742-62-7 EC-No.: 265-166-0 EC Index-No.: 649-471-00-X REACH-no: 01-2119480472- 38 | ≥ 25 – < 45 | Not classified |
| Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 | CAS-No.: 68784-26-9 EC-No.: 701-251-5 REACH-no: 01-2119524004- 56 | ≥ 3 - < 5 | Aquatic Chronic 4, H413 |
| ethanediol; ethylene glycol substance with national workplace exposure limit(s) (AT, BE, DE, DK, ES, FI, FR, GB, IE, MT, NL, SE, NO, CH); substance with a Community workplace exposure limit | CAS-No.: 107-21-1 EC-No.: 203-473-3 EC Index-No.: 603-027-00-1 REACH-no: 01-2119456816- 28 | ≥ 0.1 – < 3 | Acute Tox. 4 (Oral), H302 (ATE=1600 mg/kg bodyweight) STOT RE 2, H373 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|---------------|--|
| Phenol, dodecyl-, branched substance listed on REACH Candidate List (Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)) substance identified as having endocrine disrupting properties | CAS-No.: 121158-58-5 EC-No.: 310-154-3 EC Index-No.: 604-092-00-9 REACH-no: 01-2119513207- | ≥ 0.1 – < 0.3 | Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics substance with national workplace exposure limit(s) (BE, NL); substance with a Community workplace exposure limit | EC-No.: 926-141-6 REACH-no: 01-2119456620- 43 | < 0.1 | Asp. Tox. 1, H304 EUH066 |

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Self protection of the first-aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions.
Symptoms/effects after skin contact : None under normal conditions.
Symptoms/effects after eye contact : None under normal conditions.
Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

18/08/2025 (Revision date) IE - en 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Precautionary measures fire

: Exercise caution when fighting any chemical fire.

: Use water spray or fog for cooling exposed containers. Do not enter fire area without proper Firefighting instructions

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid spilling the product, as this might cause falls. Stop leak if safe to do so. Notify

authorities if product enters sewers or public waters. Absorb spillage to prevent material

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams. Stop leak without risks if possible.

Methods for cleaning up Take up liquid spill into absorbent material.

Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling

Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation.

Storage conditions Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Keep container closed when not in use.

: ≤ 40 °C Storage temperature

Store in a well-ventilated place. Store away from heat. Storage area Special rules on packaging Keep only in original container. Store in a closed container.

Packaging materials Always store product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

18/08/2025 (Revision date) IF - en 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

| valional occupational exposure and biological limit values | | |
|---|---------------------------------|--|
| ethanediol; ethylene glycol (107-21-1) | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| Local name | Ethylene glycol | |
| IOEL TWA | 52 mg/m³ | |
| | 20 ppm | |
| IOEL STEL | 104 mg/m³ | |
| | 40 ppm | |
| Remark | Skin | |
| Regulatory reference | COMMISSION DIRECTIVE 2000/39/EC | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA | 52 mg/m³ (vapour) | |
| | 20 ppm (vapour) | |
| OEL STEL | 104 mg/m³ (vapour) | |
| | 40 ppm (vapour) | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 5 mg/m³ | |
| IOEL STEL | 10 mg/m³ | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA | 5 ppm Form: inhalable fraction | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 1200 mg/m³ | |
| | 165 ppm | |

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Туре | Field of application | Characteristics | Standard |
| Safety glasses | Droplet | clear | EN 166 |

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

| Hand protection | | | | | |
|-----------------|---|-------------------|----------------|-------------|------------|
| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
| | Nitrile rubber (NBR), Neoprene rubber (HNBR) | 5 (> 240 minutes) | 0.7 | 3 (> 0.65) | EN ISO 374 |
| | Polyvinylchloride (PVC) | 2 (> 30 minutes) | 0.4 | 3 (> 0.65) | EN ISO 374 |

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : brown. Odour : Not available Odour threshold : Not available Melting point : Not applicable : -27 °C (ASTM D7346) Freezing point Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 201 °C (ASTM D92)

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available

Viscosity, kinematic : 229.2 mm²/s @ 40°C (ASTM D7042)

Solubility : insoluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : Not available

Vapour pressure at 50°C : Not available

Density : 936 kg/m³ @ 15°C (ASTM D4052)

Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

LD50 oral (rat)

LD50 dermal (rabbit)

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Acute toxicity (innaiation) | NOT Classified | | |
|--|---|--|--|
| ethanediol; ethylene glycol (107-21-1) | | | |
| LD50 oral (rat) | 4700 mg/kg | | |
| LD50 dermal (rat) | > 3500 mg/kg | | |
| LC50 inhalation (rat) (mg/l) | > 2.5 mg/l (6h) | | |
| Residual oils (petroleum), solvent-dewaxed (6 | Residual oils (petroleum), solvent-dewaxed (64742-62-7) | | |
| LD50 oral (rat) | > 5000 mg/kg | | |
| LD50 dermal (rat) | > 2000 mg/kg | | |
| Phenol, dodecyl-, branched (121158-58-5) | | | |
| LD50 oral (rat) | 2100 mg/kg (OECD 401) | | |
| LD50 dermal (rabbit) | ≈ 15000 mg/kg (OECD 402) | | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | | |
| LD50 oral (rat) | > 5000 mg/kg 401 Acute Oral Toxicity Test | | |
| LD50 dermal (rabbit) | > 5000 mg/kg 402 Acute Dermal Toxicity Test | | |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5 mg/l/4h 403 Acute Inhalation Toxicity Test | | |
| Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 (68784-26-9) | | | |

18/08/2025 (Revision date) IE - en 7/15

Toxicity)

Toxicity)

> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral

> 4000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | pranched olefins (C12 rich) derived from propene oligomerization, zed including distillates (petroleum), hydrotreated, solvent-refined, solvent-paraffinic C15-C50 (68784-26-9) | |
|---|---|--|
| LC50 inhalation (rat) (mg/l) | > 1.67 mg/l OECD 403 (1h) | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkane | s, cyclics, < 2% aromatics | |
| LD50 oral (rat) | > 5000 mg/kg OECD Guideline 401 | |
| LD50 dermal (rabbit) | > 5000 mg/kg OECD Guideline 402 | |
| LC50 inhalation (rat) (mg/l) | > 5000 mg/m³ OECD Guideline 403 | |
| Skin corrosion/irritation : | Not classified | |
| ethanediol; ethylene glycol (107-21-1) | | |
| рН | 6 – 7.5 | |
| Serious eye damage/irritation : | Not classified | |
| ethanediol; ethylene glycol (107-21-1) | | |
| рН | 6 – 7.5 | |
| , | Not classified | |
| 5 , | Not classified Not classified | |
| ethanediol; ethylene glycol (107-21-1) | | |
| NOAEL (chronic, oral, animal/male, 2 years) | 1500 mg/kg bodyweight mouse, male | |
| Reproductive toxicity : | Not classified | |
| 3 . | Not classified | |
| ethanediol; ethylene glycol (107-21-1) | Not classified | |
| NOAEL (subchronic, oral, animal/male, 90 days) | 150 mg/kg bodyweight | |
| STOT-repeated exposure | May cause damage to organs (kidneys) through prolonged or repeated exposure. | |
| Distillates (petroleum), hydrotreated heavy pa | | |
| | | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) | |
| Phenol, paraalkylation products with C10-15 b | pranched olefins (C12 rich) derived from propene oligomerization, | |
| | zed including distillates (petroleum), hydrotreated, solvent-refined, solvent- | |
| dewaxed, or catalytic dewaxed, light or heavy | | |
| NOAEL (oral, rat, 90 days) | 200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) | |
| NOAEL (dermal, rat/rabbit, 90 days) | ≈ 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) | |
| Aspiration hazard : | Not classified | |
| 77510 - Marine Oil CO 570 | | |
| Viscosity, kinematic | 229.2 mm²/s @ 40°C (ASTM D7042) | |
| ethanediol; ethylene glycol (107-21-1) | | |
| Viscosity, kinematic | 14.505 mm²/s | |
| Residual oils (petroleum), solvent-dewaxed (64742-62-7) | | |
| Viscosity, kinematic | 490 mm²/s @40°C | |
| | | |

18/08/2025 (Revision date) IE - en 8/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Phenol, dodecyl-, branched (121158-58-5) | | |
|--|--|--|
| Viscosity, kinematic 450 mm²/s @ 40°C (ASTM D445) | | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
| Viscosity, kinematic 20.8 mm²/s @ 40°C | | |
| Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 (68784-26-9) | | |
| Viscosity, kinematic 206820 mm²/s Temp.: '20°C' Parameter: 'cSt' | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | |
| Viscosity, kinematic 2.4 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' | | |

11.2. Information on other hazards

Endocrine disrupting properties

| Component | |
|--|--|
| Phenol, dodecyl-, branched (121158-58-5) | The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3) |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

| (chronic) | | |
|---|--|--|
| ethanediol; ethylene glycol (107-21-1) | | |
| LC50 - Fish [1] 18500 mg/l Oncorhynchus mykiss (Rainbow trout) | | |
| EC50 - Crustacea [1] | 41000 mg/l Daphnia magna | |
| EC50 96h - Algae [1] | 3536 mg/l Test organisms (species): other:green algae | |
| NOEC chronic fish | 32000 mg/l Pimephales promelas (Fat-head Minnow) (7d) | |
| NOEC chronic crustacea | 24000 mg/l Daphnia magna (48h) | |
| Threshold limit - Algae [1] | 10000 mg/l 168 Hrs | |
| Threshold limit - Algae [2] | 2000 mg/l 192 Hrs | |
| Phenol, dodecyl-, branched (121158-58-5) | | |
| LC50 - Fish [1] | 40 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | 0.037 mg/l Daphnia magna | |
| EC50 72h - Algae [1] | 0.36 mg/l Scenedesmus quadricauda | |
| NOEC (chronic) | 0.0037 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | |
| NOEC chronic crustacea | 0.0037 mg/l Daphnia magna (21d) | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna | |

18/08/2025 (Revision date) IE - en 9/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 | | | |
|--|---|--|--|
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | | |
| EC50 72h - Algae [1] | > 100 mg/l | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | | |
| LC50 - Fish [1] | > 1000 mg/l Oncorhynchus mykiss | | |
| EC50 - Crustacea [1] | > 1000 mg/l Daphnia magna | | |
| EC50 72h - Algae [1] | > 1000 mg/l Pseudokirchneriella subcapitata | | |
| 12.2. Persistence and degradability | | | |
| 77510 - Marine Oil CO 570 | | | |
| Persistence and degradability | Rapidly degradable | | |
| ethanediol; ethylene glycol (107-21-1) | | | |
| Persistence and degradability | Readily biodegradable. | | |
| Biochemical oxygen demand (BOD) | 0.47 g O ₂ /g substance | | |
| Chemical oxygen demand (COD) | 1.24 g O ₂ /g substance | | |
| ThOD | 1.29 g O ₂ /g substance | | |
| BOD (% of ThOD) | 0.36 % ThOD | | |
| Biodegradation | 90 % (OECD 301A) | | |
| Residual oils (petroleum), solvent-dewaxed (6 | 4742-62-7) | | |
| Persistence and degradability | Not rapidly degradable | | |
| Phenol, dodecyl-, branched (121158-58-5) | | | |
| Persistence and degradability | Not readily biodegradable. | | |
| Biodegradation | 25 % OECD TG 301 B (28d) | | |
| Distillates (petroleum), hydrotreated heavy pa | raffinic (64742-54-7) | | |
| Persistence and degradability | Not rapidly degradable | | |
| Biodegradation | < 31 % OECD TG 301 F (28d) | | |
| Phenol, paraalkylation products with C10-15 branched olefins (C12 rich) derived from propene oligomerization, carbonates, calcium salts, overbased, sulfurized including distillates (petroleum), hydrotreated, solvent-refined, solvent-dewaxed, or catalytic dewaxed, light or heavy paraffinic C15-C50 (68784-26-9) | | | |
| Persistence and degradability | Not rapidly degradable | | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkane | Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | |
| Persistence and degradability | Rapidly degradable | | |
| Biodegradation | 69 % OECD 301F (28d) | | |
| 12.3. Bioaccumulative potential | | | |
| ethanediol; ethylene glycol (107-21-1) | | | |
| Bioconcentration factor (BCF REACH) | 0.6 | | |
| Partition coefficient n-octanol/water (Log Pow) | -1.36 | | |
| Residual oils (petroleum), solvent-dewaxed (6 | 4742-62-7) | | |
| Partition coefficient n-octanol/water (Log Pow) | > 3.5 | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Phenol, dodecyl-, branched (121158-58-5) | |
|--|--|
| Bioconcentration factor (BCF REACH) 794.33 | |
| Partition coefficient n-octanol/water (Log Kow) 7.14 | |

12.4. Mobility in soil

| ethanediol; ethylene glycol (107-21-1) | |
|--|------------------------|
| Surface tension 0.048 N/m @ 20°C | |
| Phenol, dodecyl-, branched (121158-58-5) | |
| Surface tension | 42.2 mN/m @ 22°C (90%) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 4.4 – 4.67 OESO 121 |

12.5. Results of PBT and vPvB assessment

| Co | omponent | |
|----|---|--|
| | bstance(s) not meeting the PBT criteria of REACH gulation, in accordance with Annex XIII | Phenol, dodecyl-, branched (121158-58-5) |
| | bstance(s) not meeting the vPvB criteria of REACH gulation, in accordance with Annex XIII | Phenol, dodecyl-, branched (121158-58-5) |

12.6. Endocrine disrupting properties

| Component | |
|--|--|
| Phenol, dodecyl-, branched (121158-58-5) | The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3) |

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

European List of Waste (LoW, EC 2000/532) : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|-------------------------------|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR | IMDG | IATA | ADN | RID |
|--|----------------------------------|----------------|----------------|----------------|
| 14.3. Transport hazard o | 14.3. Transport hazard class(es) | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | 14.4. Packing group | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (EC 310-154-3, CAS 121158-58-5)

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | |
|-----------------------|---|----------|
| Section | Changed item | Comments |
| | Supersedes | Modified |
| | Revision date | Modified |
| 2.1 | Adverse physicochemical, human health and environmental effects | Modified |
| 2.1 | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Modified |
| 2.2 | Hazard statements (CLP) | Modified |
| 2.2 | Precautionary statements (CLP) | Modified |
| 2.2 | Hazard pictograms (CLP) | Added |
| 2.2 | Signal word (CLP) | Added |
| 3 | Composition/information on ingredients | Modified |
| 4.1 | First-aid measures general | Added |
| 6.1 | Emergency procedures | Modified |
| 6.2 | Environmental precautions | Modified |
| 6.3 | Methods for cleaning up | Modified |
| 7.1 | Hygiene measures | Modified |
| 7.1 | Precautions for safe handling | Modified |
| 7.2 | Storage conditions | Modified |
| 8.2 | Respiratory protection | Modified |
| 12.1 | Ecology - general | Modified |

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ACGIH | American Conference of Government Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| CAS-No. | Chemical Abstract Service number |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acr | ronyms: |
|-----------------------|--|
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| COD | Chemical oxygen demand (COD) |
| CSA | Chemical safety assessment |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| ED | Endocrine disruptor |
| EN | European Standard |
| EWC | European waste catalogue |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| Log Kow | Partition coefficient n-octanol/water (Log Kow) |
| Log Pow | Partition coefficient n-octanol/water (Log Pow) |
| MAK | maximum workplace concentration |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| N.O.S. | Not Otherwise Specified |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| OSHA | Occupational Safety Health Administration |
| РВТ | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| PPE | Personal protection equipment |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| TF | Technical function |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| TWA | Time Weighted Average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and Very Bioaccumulative |
| UFI | Unique Formula Identifier |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 | |
| Aquatic Chronic 4 | Hazardous to the aquatic environment – Chronic Hazard, Category 4 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Repr. 1B | Reproductive toxicity, Category 1B | |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C | |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 | |
| H302 | Harmful if swallowed. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H314 | Causes severe skin burns and eye damage. | |
| H318 | Causes serious eye damage. | |
| H360F | May damage fertility. | |
| H373 | May cause damage to organs through prolonged or repeated exposure. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| H413 | May cause long lasting harmful effects to aquatic life. | |
| EUH066 | Repeated exposure may cause skin dryness or cracking. | |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.