

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830 Issue date: 26/01/2021 Revision date: 17/02/2025 Supersedes version of: 18/01/2024 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 79680 - 4-Stroke Motorcycle Oil Syn 10W-50

Product code : 79680

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Transnational Blenders bv
Wieldrechtseweg 37
NL 3316 BG Dordrecht, Netherlands, Zuid Holland
Netherlands
T +31 (0)78 6527652
technical@tnb.nl, www.tnb.nl

1.4. Emergency telephone number

| Country/Area | Organisation/Company | Address | Emergency number | Comment |
|--------------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex.

May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-------------|---|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil substance with a Community workplace exposure limit (Note L) | CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13 | ≥ 55 – < 75 | Asp. Tox. 1, H304 |
| 1-decene,homopolymer,hydrogenated (Polymer) substance with national workplace exposure limit(s) (BG) | CAS-No.: 68037-01-4 EC-No.: 500-183-1 REACH-no: 01-2119486452- 34 | ≥ 5 – < 10 | Not classified |
| Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit (Note L) | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25 | ≥1-<5 | Not classified |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit (Note L) | CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878- 16 | ≥1-<3 | Asp. Tox. 1, H304 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH, TR); substance with a Community workplace exposure limit (Note L) | CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27 | ≥ 0.1 – < 3 | Asp. Tox. 1, H304 |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) substance with national workplace exposure limit(s) (SK) | CAS-No.: 2215-35-2 EC-No.: 218-679-9 REACH-no: 01-2119953275- 34 | ≥ 0.3 – < 3 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (Note L) | CAS-No.: 64742-70-7 EC-No.: 265-174-4 EC Index-No.: 649-477-00-2 REACH-no: 01-2119487080- 42 | ≥ 0.1 – < 3 | Asp. Tox. 1, H304 |
| Distillates (petroleum), solvent-dewaxed light paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH); substance with a Community workplace exposure limit (Note L) | CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132- 48 | ≥ 0.1 – < 3 | Asp. Tox. 1, H304 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-------|---|
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex substance with a Community workplace exposure limit | EC-No.: 457-320-2 REACH-no: 01-0000019337- 66 | < 0.3 | Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 |

| Specific concentration limits: | | |
|--|---|--|
| Name Product identifier Specific of | | Specific concentration limits (%) |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) | CAS-No.: 2215-35-2 EC-No.: 218-679-9 REACH-no: 01-2119953275- 34 | (15 ≤ C < 20) Eye Irrit. 2; H319 (15 ≤ C < 20) Skin Irrit. 2; H315 (20 ≤ C < 100) Eye Dam. 1; H318 |

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire.

Firefighting instructions : Use water spray or fog for cooling exposed containers. Do not enter fire area without proper

protective equipment, including respiratory protection.

17/02/2025 (Revision date) IE - en 3/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid spilling the product, as this might cause falls. Stop leak if safe to do so. Notify

authorities if product enters sewers or public waters. Absorb spillage to prevent material

damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams. Contain any spills with dikes or absorbents to prevent migration and entry into

sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes.

Handling temperature : ≤ 40 °C

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation.

Storage conditions : Keep cool. Protect from sunlight.

Storage temperature : ≤ 40 °

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Keep only in original container. Store in a closed container.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

17/02/2025 (Revision date) IE - en 4/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Lubricating oils (petroleum), C20-50, hydrotre | ated neutral oil (72623-87-1) | |
|--|--|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 5 mg/m³ | |
| IOEL STEL | 10 mg/m³ | |
| Distillates (petroleum), hydrotreated heavy pa | rraffinic (64742-54-7) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 5 mg/m³ | |
| IOEL STEL | 10 mg/m³ | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA | 5 ppm Form: inhalable fraction | |
| Lubricating oils (petroleum), C15-30, hydrotre | ated neutral oil-based (72623-86-0) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 5 mg/m³ | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA | 5 ppm Form: Inhalable fraction | |
| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 5 mg/m³ | |
| IOEL STEL | 10 mg/m³ | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA | 5 ppm Form: inhalable fraction | |
| Distillates (petroleum), solvent-dewaxed light | paraffinic (64742-56-9) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 5 mg/m³ ACGIH TLV (inhalable fraction) | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA | 5 ppm Form: inhalable fraction | |
| Molybdenum polysulphide long chain alkyl di | thiocarbamate complex | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | |
| IOEL TWA | 5 mg/m³ | |
| IOEL STEL | 10 mg/m³ | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

| Eye protection | | | |
|----------------|----------------------|-----------------|----------|
| Туре | Field of application | Characteristics | Standard |
| Safety glasses | Droplet | clear | EN 166 |

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

| Hand protection | | | | | |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥ 0.35 | | EN ISO 374 |

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : brown.
Odour : characteristic.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Odour threshold : No data available : No data available рΗ Relative evaporation rate (butylacetate=1) : No data available Melting point Not applicable Freezing point -36 °C (ASTM D7346) Boiling point No data available Flash point : > 201 °C (ASTM D92) Auto-ignition temperature No data available Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20°C No data available

Relative density : No data available

Density : 858 kg/m³ @ 15°C (ASTM D4052)

Solubility : insoluble in water.
Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : 124 mm²/s @ 40°C (ASTM D7042)

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | |
|---|--------------|
| LD50 oral (rat) | > 5000 mg/kg |
| LD50 dermal (rabbit) | > 2000 mg/kg |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| LCS0 inhalation (rat) (DustMist - mg/M4h) | Lubricating oils (petroleum), C20-50, hydrotre | eated neutral oil (72623-87-1) | |
|--|---|---|--|
| Distillatos (potroloum), hydrotroated hoavy paraffinic (64742-54-7) LD50 crai (rat) | | | |
| DBG oral (rat) | | | |
| DESD dermal (rabbit) > 50000 mg/kg 402 Acute Dermal Toxicity Test | | | |
| LC50 inhalation (rat) (mg/l) | | , | |
| LCSG inhalation (rat) (Dust/Mist - mgl/4h) | | , | |
| Lubricating oils (petroleum), C15-30, hydrorreated neutral oil-based (72623-86-0) LD50 oral (rat) > 5000 mg/kg bodyweight 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 2000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/44h 403 Acute Inhalation Toxicity Test LD50 oral (rat) 2230 mg/kg bodyweight OECD 401 LD50 dermal (rabbit) > 25000 mg/kg bodyweight OECD 402 LC50 inhalation (rat) (mg/l) > 2 mg/l OECD 403 (1 hour) DISSUIIates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD50 oral (rat) > 5000 (*) mg/kg 401 Acute Oral Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 5000 mg/kg LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 oral (rat) > 5000 mg/kg 402 Acute Dermal Toxicity Test | | | |
| D50 oral (rat) | | , | |
| D50 dermal (rabbit) > 2000 mg/kg 402 Acute Dermal Toxicity Test | | | |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Zinc O,O,O'O'-tetrakis(1,3-dimethylbutyl) bis∀bosphorodithioate) (2215-35-2) LD50 oral (rat) 2230 mg/kg bodyweight OECD 401 LD50 dermal (rabbit) > 25000 mg/kg bodyweight OECD 402 LC50 inhalation (rat) (mg/l) > 2 mg/l OECD 403 (1 hour) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) Description (mg/l) LD50 oral (rat) > 5000 (mg/kg 401 Acute Oral Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 mg/l/4h 403 Acute Inhalation Toxicity Test LC50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 oral (rat) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 oral (rat) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 oral (rat) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 oral (rat) > 2000 mg/kg bodyweight Acute Oral Toxicity Test <tr< td=""><td>LD50 oral (rat)</td><td>,</td></tr<> | LD50 oral (rat) | , | |
| Zinc O,O,O,O'-tetrakis(1,3-dimethylbutyl) bis phosphorodithioate) (2215-35-2) LD50 oral (rat) 2230 mg/kg bodyweight OECD 401 LD50 dermal (rabbit) > 25000 mg/kg bodyweight OECD 402 LC50 inhalation (rat) (mg/l) > 2 mg/l OECD 403 (1 hour) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD50 dermal (rabbit) > 50000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 50000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5000 mg/kg 402 Acute Dermal Toxicity Test Paraffin oils (petroleum), catalytic dewaxed Institution of the paraffinic (64742-70-7) LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 dermal (rabbit) > 5000 mg/kg 401 Acute Oral Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.5 mg/l/4h 403 Acute Inhalation Toxicity Test LC50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LC50 oral (rat) > 2000 mg/kg OECD Test Guideline 402 LC50 oral (rat) <t< td=""><td>LD50 dermal (rabbit)</td><td>> 2000 mg/kg 402 Acute Dermal Toxicity Test</td></t<> | LD50 dermal (rabbit) | > 2000 mg/kg 402 Acute Dermal Toxicity Test | |
| LD50 oral (rat) 2230 mg/kg bodyweight OECD 401 | LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test | |
| LD50 dermal (rabbit) > 25000 mg/kg bodyweight OECD 402 LC50 inhalation (rat) (mg/l) > 2 mg/l OECD 403 (1 hour) Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD50 oral (rat) > 5000 (s) mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 mg/l/4h 403 Acute Inhalation Toxicity Test LD50 oral (rat) > 5000 mg/kg LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 oral (rat) > 5000 mg/kg 402 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 oral (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) (Dust/Mist - mg/l/4h) > 2000 mg/kg OECD Test Guideline 425 LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene, homopolymer, hydrogenated (68037-01-4) LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene, homopolymer, hydrogenated (68037-01-4) LD50 oral (rat) > 5.2 mg/l/4h Serious eye damage/irritation | Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(| phosphorodithioate) (2215-35-2) | |
| LC50 Inhalation (rat) (mg/l) > 2 mg/l OECD 403 (1 hour) | LD50 oral (rat) | 2230 mg/kg bodyweight OECD 401 | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) LD50 oral (rat) > 5000 (*) mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 mg/l/4h 403 Acute Inhalation Toxicity Test Paraffin oils (petroleum), catalytic dewaxed how; Baseoil (64742-70-7) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 5000 mg/kg LD50 dermal (rabbit) > 5 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 401 Acute Dermal Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LD50 dermal (rab) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dithocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 5000 mg/kg LD50 dermal (rat) > 5000 mg/kg LD50 dermal (rat) > 5000 mg/kg LD50 oral (rat) | LD50 dermal (rabbit) | > 25000 mg/kg bodyweight OECD 402 | |
| LD50 oral (rat) > 5000 (s) mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 mg/l/4h 403 Acute Inhalation Toxicity Test Paraffin oils (petroleum), catalytic dewaxed beavy; Baseoil (64742-70-7) LD50 oral (rat) > 5000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 oral (rabbit) > 55000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test LD50 oral (rat) > 2000 mg/kg 0ECD Test Guideline 425 LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Serious existing the serious control or solution in the classified Serious existing the serious control or solution in the classified Serious existing the serious control or solution in the classified Serious existing the serious control or solution in the classified Serious existing the serious control or solution in the classified Serious existing the serious control or solution in the classified Serious exi | LC50 inhalation (rat) (mg/l) | > 2 mg/l OECD 403 (1 hour) | |
| LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 mg/l/4h 403 Acute Inhalation Toxicity Test Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5500 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.5.3 mg/l/4h 403 Acute Inhalation Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.5.3 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl distributionarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) \ 5000 mg/kg LD50 mg/kg LD50 dermal (rat) \ 5000 mg/kg LD50 mg/kg | Distillates (petroleum), solvent-dewaxed heav | yy paraffinic (64742-65-0) | |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5 mg/l/4h 403 Acute Inhalation Toxicity Test Paraffin oils (petroleum), catalytic dewaxed hevry; Baseoil (64742-70-7) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dittlocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/firitation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified | LD50 oral (rat) | > 5000 (<) mg/kg 401 Acute Oral Toxicity Test | |
| Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene, homopolymer, hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) \ | LD50 dermal (rabbit) | > 5000 mg/kg 402 Acute Dermal Toxicity Test | |
| LD50 oral (rat) LD50 dermal (rabbit) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) Source (64742-56-9) LD50 oral (rat) Source (64742-56-9) LD50 dermal (rabbit) Source (64742-56-9) LD50 dermal (rat) Source (64742-56-9) LD50 dermal (rat) Source (74) Source | LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5 mg/l/4h 403 Acute Inhalation Toxicity Test | |
| LD50 dermal (rabbit) > 2000 mg/kg LC50 inhalation (rat) (Dust/Mist - mg/l/4h) 5 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene, homopolymer, hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 5000 mg/kg LD50 dermal (rat) > 5000 mg/kg LD50 dermal (rat) > 5000 mg/kg Schouse yed Judeline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious yed damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Respiratory or skin sensitisation : Not classified Carcinogenicity : Not classified Respiratory : Not class | | | |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) 2 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Not classified Respiratory or skin sensitisation Germ cell mutagenicity Not classified Reproductive toxicity Not classified Reproductive toxicity Not classified | LD50 oral (rat) | > 5000 mg/kg | |
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified | LD50 dermal (rabbit) | > 2000 mg/kg | |
| LD50 oral (rat) > 5000 mg/kg 401 Acute Oral Toxicity Test LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified | LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | 5 mg/l/4h | |
| LD50 dermal (rabbit) > 5000 mg/kg 402 Acute Dermal Toxicity Test LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 5000 mg/kg LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagencity : Not classified Germ cell mutagencity : Not classified Reproductive toxicity : Not classified | Distillates (petroleum), solvent-dewaxed light | paraffinic (64742-56-9) | |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified | LD50 oral (rat) | > 5000 mg/kg 401 Acute Oral Toxicity Test | |
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified | LD50 dermal (rabbit) | > 5000 mg/kg 402 Acute Dermal Toxicity Test | |
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified | LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | > 5.53 mg/l/4h 403 Acute Inhalation Toxicity Test | |
| LD50 oral (rat) > 2000 mg/kg OECD Test Guideline 425 LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified | | thiocarhamate complex | |
| LD50 dermal (rat) > 2000 mg/kg OECD Test Guideline 402 1-decene,homopolymer,hydrogenated (68037-01-4) LD50 oral (rat) > 5000 mg/kg LD50 dermal (rat) > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified | | | |
| LD50 oral (rat) > 5000 mg/kg > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation Skin corrosion/irritation Skin corrosion/irritation I Not classified Serious eye damage/irritation Respiratory or skin sensitisation I Not classified Germ cell mutagenicity I Not classified Carcinogenicity I Not classified Reproductive toxicity I Not classified Reproductive toxicity I Not classified | | | |
| LD50 oral (rat) > 5000 mg/kg > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation Skin corrosion/irritation Skin corrosion/irritation I Not classified Serious eye damage/irritation Respiratory or skin sensitisation I Not classified Germ cell mutagenicity I Not classified Carcinogenicity I Not classified Reproductive toxicity I Not classified Reproductive toxicity I Not classified | · / | | |
| Toxicity) LC50 inhalation (rat) (Dust/Mist - mg/l/4h) > 5.2 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified | | | |
| LC50 inhalation (rat) (Dust/Mist - mg/l/4h) Skin corrosion/irritation Skin corrosion/irritation Skin corrosion/irritation Skin corrosion/irritation Not classified Respiratory or skin sensitisation Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified | LD50 dermal (rat) | | |
| Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified | LC50 inhalation (rat) (Dust/Mist - mg/l/4h) | • | |
| Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified | Skin corrosion/irritation : | <u> </u> | |
| Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified | Serious eye damage/irritation : | Not classified | |
| Carcinogenicity : Not classified Reproductive toxicity : Not classified | Respiratory or skin sensitisation : | Not classified | |
| Reproductive toxicity : Not classified | Germ cell mutagenicity : | | |
| | | | |
| | | | |

17/02/2025 (Revision date) IE - en 8/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(| phosphorodithioate) (2215-35-2) | | |
|---|---|--|--|
| NOAEL (animal/male, F1) | 160 mg/kg OECD 422 | | |
| Molybdenum polysulphide long chain alkyl di | Molybdenum polysulphide long chain alkyl dithiocarbamate complex | | |
| NOAEL (animal/male, F0/P) | 1000 mg/kg bodyweight | | |
| 3 1 | Not classified Not classified | | |
| Lubricating oils (petroleum), C20-50, hydrotre | ated neutral oil (72623-87-1) | | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight/day | | |
| Distillates (petroleum), hydrotreated heavy pa | rraffinic (64742-54-7) | | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) | | |
| Lubricating oils (petroleum), C15-30, hydrotre | ated neutral oil-based (72623-86-0) | | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight | | |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(| phosphorodithioate) (2215-35-2) | | |
| NOAEL (oral, rat, 90 days) | 160 mg/kg bodyweight | | |
| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) | | |
| NOAEL (dermal, rat/rabbit, 90 days) | ≈ 1000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) | | |
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | | | |
| LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) | | |
| Molybdenum polysulphide long chain alkyl di | thiocarbamate complex | | |
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight/day OECD Test Guideline 407 | | |
| NOAEL (dermal, rat/rabbit, 90 days) | 670 mg/kg bodyweight/day OECD Test Guideline 410 | | |
| 1-decene,homopolymer,hydrogenated (68037 | -01-4) | | |
| NOAEL (subacute, oral, animal/male, 28 days) | 6245 mg/kg bodyweight | | |
| NOAEL (oral, rat, 90 days) | 4159.4 mg/kg bodyweight/day | | |
| • | Not classified | | |
| 79680 - 4-Stroke Motorcycle Oil Syn 10W-50 | | | |
| Viscosity, kinematic | 124 mm²/s @ 40°C (ASTM D7042) | | |
| Lubricating oils (petroleum), C20-50, hydrotre | ated neutral oil (72623-87-1) | | |
| Viscosity, kinematic | 47 mm²/s | | |
| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | | |
| Viscosity, kinematic | 20.8 mm²/s @ 40°C | | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) | | | |
| Viscosity, kinematic | 2978 mm²/s 40°C | | |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) (2215-35-2) | | | |
| Viscosity, kinematic | 270.4 mm²/s @40°C | | |
| | | | |

17/02/2025 (Revision date) IE - en 9/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | | |
|--|-------------------------------|--|
| Viscosity, kinematic 150 (1.99 – 847) mm²/s @40°C | | |
| Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil (64742-70-7) | | |
| Viscosity, kinematic 19 mm²/s @40°C | | |
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | | |
| Viscosity, kinematic | 1.99 – 847 mm²/s Temp.: '40°C | |
| 1-decene,homopolymer,hydrogenated (68037-01-4) | | |
| Viscosity, kinematic | 46000000 mm²/s @40°C | |

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

 $\label{thm:local_equation} \mbox{Hazardous to the aquatic environment, short-term}$

(acute)

: Not classified

 $\label{thm:long-term} \mbox{Hazardous to the aquatic environment, long-term}$

(chronic)

: Not classified

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | | |
|--|--|--|
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | > 10000 Daphnia magna | |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss (14d) | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna (21d) | |
| NOEC chronic algae | 100 mg/l Pseudokirchneriella subcapitata (72h) | |
| Lubricating oils (petroleum), C15-30, hydrotre | ated neutral oil-based (72623-86-0) | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas (OECD 203) | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna (OECD 202) | |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss (14d) | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna (21d) | |
| NOEC chronic algae | ≥ 100 mg/l Pseudokirchneriella subcapitata (72h) | |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) (2215-35-2) | | |
| LC50 - Fish [1] | 46 mg/l Sheepshead Minnow | |
| LC50 - Fish [2] | 4.5 mg/l Oncorhynchus mykiss | |
| EC50 - Crustacea [1] | 23 mg/l Daphnia magna (OECD 202) | |
| EC50 72h - Algae [1] | 24 mg/l Desmodesmus subspicatus | |
| NOEC chronic fish | 1.8 mg/l Rainbow Trout, 4 Days | |
| NOEC chronic crustacea | 0.4 mg/l Daphnia magna (21d) | |
| NOEC chronic algae | 10 mg/l Desmodesmus subspicatus (72h) | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | > 1000 mg/l Daphnia magna | |

17/02/2025 (Revision date) IE - en 10/16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0) | | |
|---|--|--|
| EC50 72h - Algae [1] | > 100 mg/l Pseudokirchneriella subcapitat (OECD 201) | |
| NOEC chronic fish | > 1000 mg/l Oncorhynchus mykiss (14d) | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna (21d) | |
| NOEC chronic algae | 100 mg/l Pseudokirchneriella subcapitata (72h) | |
| Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas (OECD 203) | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna (OECD 202) | |
| NOEC chronic fish | ≥ 1000 mg/l Oncorhynchus mykiss | |
| NOEC chronic crustacea | > 10 mg/l Daphnia magna (21d) (OECD 211) | |
| NOEC chronic algae | > 100 mg/l Pseudokirchneriella subcapitata (72h) (OECD 201) | |
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex | | |
| LC50 - Fish [1] | > 94.8 mg/l Oncorhynchus mykiss (OECD 203) | |
| LC50 - Fish [2] | > 670 mg/l Oncorhynchus mykiss (OECD 203) | |
| EC50 - Crustacea [1] | 50 mg/l Daphnia magna (OECD 202) | |
| EC50 72h - Algae [1] | 14 mg/l Pseudokirchneriella subcapitata (OECD 201) | |
| NOEC (chronic) | 100 mg/l | |
| NOEC chronic fish | 94.8 mg/l (Oncorhynchus mykiss (rainbow trout) OECD Test Guideline 203 (96h) | |
| NOEC chronic crustacea | 100 mg/l Daphnia magna (OECD 211) (21d) | |
| NOEC chronic algae | 4.05 mg/l | |
| 1-decene,homopolymer,hydrogenated (68037-01-4) | | |
| LC50 - Fish [1] | > 1000 mg/l | |
| EC50 - Crustacea [1] | > 1000 mg/l | |
| 12.2. Persistence and degradability | | |
| 79680 - 4-Stroke Motorcycle Oil Syn 10W-50 | | |
| Persistence and degradability | Not rapidly degradable | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil (72623-87-1) | | |
| Persistence and degradability | Rapidly degradable | |
| Biodegradation | 31 % | |

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
|---|----------------------------|--|
| Persistence and degradability | Readily biodegradable. | |
| Biodegradation | < 60 % OECD TG 301 F (28d) | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) | | |
| Persistence and degradability | Not readily biodegradable. | |
| Biodegradation | 31 % 28 d OECD 301F | |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) (2215-35-2) | | |
| Persistence and degradability Not readily biodegradable. | | |
| Biodegradation | 1.5 % OECD TG 301 B (28d) | |
| | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | | |
|---|--|--|--|
| Persistence and degradability | Readily biodegradable. | | |
| Biodegradation | < 60 % OECD TG 301 F (28d) | | |
| Paraffin oils (petroleum), catalytic dewaxed h | eavy; Baseoil (64742-70-7) | | |
| Persistence and degradability | Rapidly degradable | | |
| Distillates (petroleum), solvent-dewaxed light | Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9) | | |
| Persistence and degradability | Inherently biodegradable. | | |
| Biodegradation | 31 % OECD TG 301 F (28d) | | |
| Molybdenum polysulphide long chain alkyl di | thiocarbamate complex | | |
| Persistence and degradability | Rapidly degradable | | |
| Biodegradation | 23 % OECD Test Guideline 301B (29d) | | |
| 1-decene,homopolymer,hydrogenated (68037 | -01-4) | | |
| Persistence and degradability | Not readily biodegradable. | | |
| 12.3. Bioaccumulative potential | | | |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(| phosphorodithioate) (2215-35-2) | | |
| Partition coefficient n-octanol/water (Log Kow) | 2.21 @ 20°C | | |
| Distillates (petroleum), solvent-dewaxed heav | y paraffinic (64742-65-0) | | |
| Bioconcentration factor (BCF REACH) | 260 | | |
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex | | | |
| BCF - Fish [1] | 0.05 mg/l @ 25°C (Cyprinus carpio) | | |
| Bioconcentration factor (BCF REACH) | 88 OECD Test Guideline 305 | | |
| Partition coefficient n-octanol/water (Log Pow) | 5.1 @ 20°C | | |
| 1-decene,homopolymer,hydrogenated (68037-01-4) | | | |
| Partition coefficient n-octanol/water (Log Pow) | > 10 | | |
| 12.4. Mobility in soil | | | |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) | | | |
| Ecology - soil | Adsorbs into the soil. | | |
| Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(| phosphorodithioate) (2215-35-2) | | |
| Ecology - soil | Adsorbs into the soil. | | |
| Distillates (petroleum), solvent-dewaxed light | paraffinic (64742-56-9) | | |
| Ecology - soil | Adsorbs into the soil. | | |
| Molybdenum polysulphide long chain alkyl di | thiocarbamate complex | | |
| Ecology - soil | Adsorbs into the soil. | | |
| 1-decene,homopolymer,hydrogenated (68037 | -01-4) | | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | > 6.2 | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

European List of Waste (LoW, EC 2000/532)

HP Code

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Do not re-use empty containers.
- : 13 02 06* synthetic engine, gear and lubricating oils
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|--|----------------------------------|----------------|----------------|----------------|
| 14.1. UN number | 14.1. UN number | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shippin | 14.2. UN proper shipping name | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard o | 14.3. Transport hazard class(es) | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on the Canadian DSL (Domestic Substances List)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | |
|-------------------------------|----------------|----------|
| Section Changed item Comments | | Comments |
| | Revision date | Modified |
| | Supersedes | Modified |
| 2.2 | EUH-statements | Modified |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| Indication of changes | | |
|-----------------------|--|----------|
| Section | Changed item | Comments |
| 3 | Composition/information on ingredients | Modified |
| 4.1 | First-aid measures for first aider | Added |
| 4.1 | First-aid measures general | Added |
| 4.2 | Symptoms/effects after skin contact | Added |
| 4.2 | Symptoms/effects after inhalation | Added |
| 4.2 | Symptoms/effects after ingestion | Added |
| 4.2 | Symptoms/effects after eye contact | Added |
| 5.2 | Explosion hazard | Added |
| 5.2 | Fire hazard | Added |
| 5.3 | Firefighting instructions | Modified |
| 6.1 | Emergency procedures | Added |
| 6.1 | General measures | Modified |
| 6.3 | For containment | Modified |
| 7.1 | Additional hazards when processed | Added |
| 7.2 | Packaging materials | Added |
| 7.2 | Storage conditions | Modified |
| 13.1 | Waste disposal recommendations | Added |
| 13.1 | Sewage disposal recommendations | Added |
| 13.1 | Regional waste regulation | Added |
| 13.1 | Additional information | Added |

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

| Abbreviations and acronyms: | | |
|-----------------------------|--|--|
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ED | Endocrine disruptor | |

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| EUH208 | Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1B | Skin sensitisation, category 1B |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.